# UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK NUNAVUT NOVA SCOTIA YUKON PRINCE EDWARD ISLAND NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Swagelok Company	
MANUFACTURERS ADDRESS: 29500 Solon Road. Solon, Ohio 44	1130.3402
PLANT LOCATIONS: Headquarters: 29500 Solon Road, Solon, O	hio 44139-3492 (See Attachment A)
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE	CATEGORY ONLY TITLE OF THE STANDARD OF CONSTRUCTION
<ul> <li>Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe cap.</li> <li>B Flanges: all flanges</li> <li>C Valves: all line valves</li> <li>D Expansion joints, flexible connections, and hose assemblies: all types</li> <li>E Strainers, filters, separators, and steam traps</li> <li>F Measuring devices, including pressure gauges, level gauges, sight glasses</li> </ul>	Unlisted Components
pressure transmitters  G Certified capacity-rated pressure relief devices acceptable as primary over boilers, pressure vessels, piping and fusible plugs  H Pressure retaining components that do not fall into one of the above category  N Nuclear components: Class 1 □ Class 2 □ Class 3 □, (Meeting AECB)	ories
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL A	
Swagelok	FORGEO WELDED WROUGHT CAST OTHER SO
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF TH	E ACTUAL ITEMS TO BE REGISTEREO
DECLARATION:  1 David H. Peace (see note 3) employed by Swagelok responsibility for the quality of the end product do solemnly declare the my knowledge represents the product for which registration is sought temperature ratings, and identification markings are in accordance with manufacture of these fittings is regulated by a Quality Control Program or in part and has been verified by The British Standards Institution declaration conscientiously believing it to be true, and knowing that it Signature of Declarer:  Declared before me at Section AD 3013	tat the information contained in this form is true and to the best of . The dimensions, materials of construction, prassura th the herain named standards. I further declare that the m which extands to each plant whera fabrication occurs in whola as being suitable for that purpose and I make this solemn
or Notary Public: (sign) / / Sta	Ori A. Sarver, Notary Public ate of Ohio, Summit Court mmission Sing
Affix Official seal to the right) My Cor	The state of the s
This registration must be revalidated after te	in (10) years from the date of acceptance.
CRN: 0A6054.5 Rev.2	BOILER & PRESSURE VESSEL ACT
FID#: 1214	REGISTRATION ONLY
Notes:  1. All fittings shall be registered in the name of the Manufacturer.  2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.	CRN 10/46054.57 Kev. 2  ENCAMINE & SUL CIVER  CHIEF MOLER INSPECTOR  DATE: 199 50/30/5
	FITTINGS COMPONENTS

# Attachment B. Scope for Swagelok PFA Tube Fittings (Category A)

### Product Scope

This document represents the scope of the PFA Tube Fittings covered by this submission for CRN approval. The Swagelok PFA Tube Fittings were designed and evaluated in accordance with ASME B31.1 for unlisted components and ASME B31.3 for unlisted components.

#### Summary Table

The following table outlines key technical data for the products in scope of this application. Also included are standards for the materials of construction of the PFA Fittings.

Product Series	Main Pressure Bearing Component	Main Pressure Bearing Material	Port Connections and Sizes	Maximum Rated Pressure		
				Ambient Temperature (70°F)	Maximum Temperature (140⁰F)	Design Code of Construction
PFA-220	Body	PFA (ASTM D3307)	PFA Tube Fitting 1/8"	150 psi	150 psi	ASME B31.1 (Unlisted Components) and ASME B31.3 (Unlisted Components)
PFA-420	Body	PFA (ASTM D3307)	PFA Tube Fitting 1/4"	150 psi	150 psi	ASME B31.1 (Unlisted Components) and ASME B31.3 (Unlisted Components)
PFA-620	Body	PFA (ASTM D3307)	PFA Tube Fitting 3/8"	125 psi	109 psi	ASME B31.1 (Unlisted Components) and ASME B31.3 (Unlisted Components)
PFA-820	Body	PFA (ASTM D3307)	PFA Tube Fitting ½"	80 psi	74 psi	ASME B31.1 (Unlisted Components) and ASME B31.3 (Unlisted Components)

ASME B31.1 Section 105.3 limits the product ratings in non-metallic piping systems to a maximum pressure of 150 psi (10.3 bar) and a maximum temperature of 140 °F (60 °C).



# Product Illustration



## Typical Product Characteristics:

Some of the product options listed below do not affect the pressure-temperature ratings shown in the Summary Table. All of the following options are within the scope of this registration:

Caps and Plugs

#### Quality System

The Swagelok Company quality system complies with the requirements of BS EN ISO 9001:2008. The Swagelok Company maintains British Standards Institution Certificate of Registration Number FM 01729, which applies to all locations listed on the Certificate. The PFA Tube Fittings are manufactured at Swagelok Company locations in Solon, Ohio and Tromode, Isle of Man, British Isles.

#### References

The product catalog does not represent the full scope of registration, but rather details some of the most common options.

PFA Tube Fitting Catalog MS-01-05, R8

