## UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

	YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
WANUFACTURERS NAME	Swagelok Company		
MANUFACTURERS ACOR		L Solon, Ohio 44139 USA	
PLANT LOCATIONS: Hea	douarters: 29500 Solon	Road, Solon, Ohio 44139 USA (See At	tachment Al
CATEGORY OF F	ITTINGS TO BE REGISTERS	ED. CIRCLE ONE CATEGORY ONLY	Title of the Standard of Construction
B Flanges: all flanges C Valves: all flan valves D Expansion joints, flaxible E Brainers, fifters, separate F Massuring devices, inclusioners G Cartified capacity-rated pobliars, pressure vessels H Pressure retaining compo N Nuclear components: Cir	connections, and hose assem- ors, and steam traps ding pressure gauges, level ga- tressure relief devices acceptal, piping and fusible plugs ments that do not fall into one ass 1   Class 2  Class 3 C	ugas, sight glasses, levels, or ble as primary over pressure protection on of the above categories  J. (Meeting AECB or ASME requirements)	Rubber Products Manufacturers (ARPM) Hose Handbook
HOW MANUFACTURERS	NAME, TRADEMARK, OR LO	DGO AS IT WILL APPEAR ON THE PRODUCT	
Swa	agelok		CAST DOTHER OF MEDICATE OF THE CORE
LIST OF SUPPORTING DO	CUMENTATION AND IDENT	FIGATION OF THE ACTUAL ITEMS TO BE RE	ECHYPOEN.
loel Feldman, Vice President, I	Engineering (see ness 3) employs		
sponsibility for the quality y knowledge represents imperature ratings, and id anufacture of these fitting in part and has been ver	y of the end product do sole the product for which regist lentification markings are in gs is regulated by a Quality rified by BSI r believing it to be true, and	emity declare that the information contains tration is sought. The dimensions, materia n accordance with the harsin named stands Control Program which extends to each pi as being suitable for th f knowing that it is of the same force and el	ad in this form is true and to the best of sof construction, pressure ands. I further declare that the lient where fabrication occurs in whole set purpose and I make this solemn.
esponsibility for the quality by knowledge represents emperature ratings, and knowledges anufacture of these fitting rin part and has been ver	y of the end product do sole the product for which regist lentification markings are in as is regulated by a Quality offied by BSI	emity declare that the information contains tration is sought. The dimensions, materia n accordance with the harsin named stands Control Program which extends to each pi as being suitable for th f knowing that it is of the same force and el	is of construction, pressure ards. I further declare that the lant where fabrication occurs in whole not purpose and I make this solemn
esponsibility for the quality wowledge represents imperature ratings, and id anufacture of these fitting in part and has been versiclaration conscientiously ignature of Declarer:	y of the end product do sole the product for which regist ientification markings are in gs is regulated by a Quality rifled by BSI y believing it to be true, and	emity declare that the information contains tration is sought. The dimensions, material in accordance with the harein named stands. Control Program which extends to each place of the same force and effectively that it is of the same force and effectively.	ad in this form is true and to the best of sof construction, pressure ands. I further declare that the lant where fabrication occurs in whole set purpose and I make this solemn ffect as if made under oath.
esponsibility for the quality knowledge represents imperature ratings, and id anufacture of these fitting in part and has been very actoration conscientiously ignature of Declarer:    Commissioner of Outhern Commissioner o	y of the end product do sole the product for which regist lentification markings are in as is regulated by a Quality filled by BSI r believing it to be true, and  Inable to get a	smily declare that the information contains tration is sought. The dimensions, material necordance with the harsin named stands control Program which extends to each plas being suitable for the knowing that it is of the same force and elementary signature of the same force and eleme	ad in this form is true and to the best of sof construction, pressure ands. I further declare that the lant where fabrication occurs in whole set purpose and I make this solemn ffect as if made under oath.
sponsibility for the quality knowledge represents imperature ratings, and identification of these fitting in part and has been very clearation conscientiously gnature of Declarer:    clearation conscientiously gnature of Declarer:   declared before me at   1	y of the end product do sole the product for which regist lentification markings are in as is regulated by a Quality iffied by BSI r believing it to be true, and Inable to get a cal duc to CO September 17, (Affec Official seal to the rig This	smily declare that the information contains tration is sought. The dimensions, material necordance with the harsin named stands control Program which extends to each plas being suitable for the knowing that it is of the same force and elementary signature of the same force and eleme	ad in this form is true and to the best of sof construction, pressure ands. I further declare that the lant where fabrication occurs in whole lant under oath purpose and I make this solemn ffect as if made under oath.  SPACE FOR THE ICIAL SEAL
sponsibility for the quality knowledge represents imperature ratings, and identification of these fitting in part and has been verticiaration conscientiously gnature of Declarer:    Commissioner of Oaths   Declarer	y of the end product do sole the product for which regist lentification markings are in as is regulated by a Quality iffied by BSI r believing it to be true, and Inable to get a cal duc to CO September 17, (Affec Official seal to the rig This	smily declare that the information contains tration is sought. The dimensions, material is accordance with the herein named stands. Control Program which extends to each plas being suitable for the knowing that it is of the same force and electrical standard Signature Office and ele	ad in this form is true and to the best of its of construction, pressure ands. I further declare that the lant where fabrication occurs in whole not purpose and I make this solemn frect as if made under oath.  SPACE FOR THE ICIAL SEAL
reponsibility for the quality knowledge represents imperature ratings, and identifications of these fitting in part and has been very eclaration conscientiously ignature of Declarer:    Commissioner of Oaths   Commissioner of Oaths	y of the end product do sole the product for which regist lentification markings are in as is regulated by a Quality iffied by BSI r believing it to be true, and Inable to get a cal duc to CO September 17, (Affec Official seal to the rig This	smily declare that the information contains tration is sought. The dimensions, material is accordance with the herein named stands. Control Program which extends to each plas being suitable for the knowing that it is of the same force and electrical standard Signature Office and ele	ad in this form is true and to the best of is of construction, pressure ands. I further declare that the lant where fabrication occurs in whole not purpose and I make this solemn ffect as if made under oath.  SPACE FOR THE ICIAL SEAL



Canadian Registration Number Submittal
Category D Crimped Swagelok X Series PTFE Hose

THIS IS PART OF CRN
0D22748.5
Technical Standards and Safety Authority
Boilers and Pressure Vessels Safety
Program

September 1, 2020 Page 1 of 2

# Attachment B: Scope of Registration for Crimped Swagelok X Series PTFE Hose Assemblies (Category D)

This document represents the scope of the Swagelok Coreflex XC and XT hose (X Series) and crimped assemblies covered by this submission for CRN approval. These products have been evaluated in accordance with the Association for Rubber Products Manufacturers (ARPM) Hose Handbook.

#### **Summary Table**

Х	Maximum Pressure (psig)					
Series Hose Size	At Minimum Temp. (-65°F)	Room temperature (0°-100°F)	At Maximum Temp. (450°F)	Pressure Retaining Material	End Connections and Sizes	Design Code of Construction
1/4"	3500	3500	3075		Swagelok Tube Fitting <b>[SL, SM]</b> 1/8" – 2" (3-50mm)	
3/8"	3000	3000	1675	Core Smooth bore PTFE (XT Series) OR Smooth bore carbon black	Male & Female NPT Tapered Pipe Fitting [PM, PF] 1/8" – 2"  Male & Female ISO/BSP Tapered (ISO 7) Pipe Threads [MT, FT] 1/4" – 1"	
1/2"	1800	1800	1665	filled PTFE (XC Series)  Braid Fiber braid reinforcement AND	Male 37° JIC & Female 37° JIC with female swivel nut [AN, AS] 1/4" – 2"  Tube Butt Welds [TB] 1/2" – 1"	Association for Rubber Products Manufacturers (ARPM) Hose
3/4"	1250	1250	900	304 SS Braid Reinforcement  End Connections 316 SS	Female VCO O-ring Face seal Fitting [VF] 1/8" – 2"  Female VCR Metal Gasket Face seal Fitting [RF] 1/8" – 2"  Male ISO/BSP Parallel Threads	Handbook
1"	1000	1000	895	Crimp on Collar 300 series SS	W/ 60° Male cone (ISO 228) <b>[MS]</b> 1/4" – 1"  Female ISO/BSP Parallel  Threads (ISO 228) <b>[FS]</b> 1/4" – 1"	



Canadian Registration Number Submittal
Category D Crimped Swagelok X Series PTFE Hose


# THIS IS PART OF CRN 0D22748.5 Technical Standards and Safety Authority Boilers and Pressure Vessels Safety

September 1, 2020 Page 2 of 2

XT series is standard Swagelok virgin PTFE-lined hose with a fiber braid reinforcement and 304 stainless steel reinforcement with a silicone cover. The XC series consist of the same construction but has Swagelok carbon black filled virgin PTFE liner. The 1 inch nominal ID hose for both XT and XC series is constructed with two stainless steel braids and no fiber braid. All X Series hoses undergo production testing in accordance with ASTM D380 "Test Methods for Rubber Hose" (version current to hose production date).

#### **Configurations**

All end connection inserts are crimped onto the hose using crimp collars.



#### **Product Options:**

Additional options that do not affect pressure and/or temperature ratings may be made available and are within the scope of this approval. Examples of these would include, but not limited to, the following:

#### **Cover Options**

- Armor guard Interlocking, flexible 302 stainless steel.
- Fire jacket Woven fiberglass coated with specially compounded aerospace-grade silicone rubber
- Spiral guard Helical HDPE plastic

#### Tag and Marking Options

- Mat tag Polyester tag with customer-specified text
- Lanyard tag Stainless steel tag with customer-specified text

#### **End Connection Seals or Sealants Options**

- VCO O-rings
- Pipe Thread ends thread sealant

#### **Quality System**

The Swagelok Company quality system complies with the requirements of ISO 9001:2015. The Swagelok Company maintains BSI Certificate of Registration Number FM 01729, which applies to all locations listed on the Certificate.

#### References

The product catalog does not represent the full scope of the registration but rather details some of the most common options. Hose Assemblies, Bulk Hose, and End Connections Product Catalog MS-01-180.

THIS IS PART OF CRN
0D22748.5
Technical Standards and Safety Authority
Boilers and Pressure Vessels Safety
Program

## Attachment A. Swagelok Manufacturing Locations

This document lists the Swagelok locations where end item or component level manufacturing activities take place.

Swagelok Company	Swagelok Company (Falon 1)
29500 Solon Road	348 Bishop Road
Solon, Ohio 44139	Highland Heights, Ohio 44143
USA	USA
Swagelok Company (Highland)	Swagelok Company (Falon 2)
318 Bishop Road	358 Bishop Road
Highland Heights, Ohio 44143	Highland Heights, Ohio 44143
USA	USA
Swagelok Company (OFC)	Swagelok Company (HPF)
29495 F.A. Lennon Drive	6050 Cochran Road
Solon, Ohio 44139	Solon, Ohio 44139
USA	USA
Swagelok Company (Atlantic)	Swagelok Company (Snow Metal)
26651 Curtiss Wright Parkway	6060 Cochran Road
Willoughby Hills, Ohio 44092	Solon, Ohio 44139
USA	USA
Swagelok Company (Micro) 26653 Curtiss Wright Parkway Willoughby Hills, Ohio 44092 USA	Swagelok Company (Alfred) 29500 Ambina Drive Solon, Ohio 44139
Swagelok Hose Services Company (SHSC)	Swagelok Company (Strongsville)
29900 Solon Industrial Parkway	15400 Foltz Road
Solon, Ohio 44139	Strongsville, Ohio 44119
Swagelok (China) Fluid System Technologies Ltd. Changshu Export Process Zone Changshu Economic Development Zone Changshu, Jiangshu 215513 China	Swagelok Limited Ballafletcher Road Tromode IM4 4RA Isle of Man