_ _ _ _ _

IJ

	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
ANUFACTURERS NAM	E: Swagelok Company		
ANUFACTURERS ADD	6° 66.	Solon, Ohio 44139-3492	
LANT LOCATIONS: H	eadquarters: 29500 Solon	Solon, Ohio 44139-3492 Road, Solon, Ohio 44139-3492 (S	ee Attachment A)
CATEGORY OF	PITTINGS TO BE REGISTERE	D. CIRCLE ONE CATEGORY ONLY	TITLE OF THU MYANDARD OF CONSTRUCTION
 A Pipe fittings, including of Flanges: all flanges Valves: all flanges Valves: all line valves Expansion joints, flexib Strainers, filtors, separations Measuring devices, inclusions Certified capsolity-raised bollers, pressure vessor 	couplings, tees, elbows, Ys, pluge le connections, and hose assemt ators, and steam traps luding pressure gauges, level gau i pressure rollof devices accoptat sis, piping and fusible plugs	s, unions, pipe osps, or reducers biles: all typos uges, sight glasses, levels, or bio se primery over pressure protection on	ASME B31.1 and ASME B31.3 for Unlisted Components
	ponents that do not fall into one of		
		 (Meeting AECB or ASME requirements) 	
Sw	agelok	DGO AS IT WILL APPEAR ON THE PROD	Forged & Welded & Wrought & Cast & Other & Descride other:
LIST OF SUPPORTING	DOCUMENTATION AND IDENTI	FICATION OF THE ACTUAL ITEMS TO I	BE REGISTERED:
ISO 9001;2008 Quality	ty System Certificate, Support	t Documents, Attachment B, Catalog Ir	nformation
DECLARATION: David H. Peace asponsibility for the qui	allty of the end product do sol	lemniv declare that the information co	nd being the person having full authority and ntained in this form is true and to the best of
David H. Peace esponsibility for the qua hy knowledge represen amperature ratings, an nanufacture of these fill r in part and has been leclaration consciention	allity of the end product do sol hts the product for which regis d identification markings are i lings is requisted by a Quality	lemnly declare that the information co- stration is sought. The dimensions, m in accordance with the herein named is y Control Program which extends to e	ntained in this form is true and bine best of a second secon
David H. Peace beponsibility for the qui by knowledge represen amperature ratings, and hanufacture of these fill or in part and has been leclaration conaciention Signature of Declarer:	ality of the end product do sol the product for which regis d identification markings are i lings is regulated by a Quality verified by. The British Stand usly belleving it to be true, and	lemnly declare that the information co- stration is sought. The dimensions, m in accordance with the herein named is y Control Program which extends to e <u>lards Institution</u> as being suitable d knowing that it is of the same force	ntained in this form is true and both best of aterials of construction wheat the standards. I further pectary in a formation ach plant where fabrication of furthing and a for that purpose and indefenting adjust and effect as if made upper values.
David H. Peace esponsibility for the qui by knowledge represent amperature ratings, and manufacture of these fill or in part and has been leclaration consciention Signature of Declarer: Declared before me at	ality of the end product do sol the the product for which regis d identification markings are i lings is regulated by a Quality verified by <u>The British Stand</u> usly belleving it to be true, an	lemnly declare that the information co- stration is sought. The dimensions, min accordance with the herein named is y Control Program which extends to e lards Institutionas being suitable d knowing that it is of the same force	ntained in this form is true and obtrie best of aterials of construction vires up standards. I further becard that (h) ach plant where fabrication of urs in woog of or that purpose and inder the selection and effect as if made piper balls
David H. Peace beponsibility for the qui my knowledge represent amperature ratings, and nanufacture of these fill or in part and has been leclaration consciention Signature of Declarer: Declared before me at This day	ality of the end product do sol that the product for which regis d identification markings are i lings is regulated by a Quality verified by. The British Stand usly belleving it to be true, and Solon Did of June AD co s Annue AD co s (Affix Official seal to the r	lemniy declare that the information co- stration is sought. The dimensions, m in accordance with the herein named is y Control Program which extends to e lards Institution as being suitable d knowing that it is of the same force USET 2010 Jamie L Ristau Resident Portage County Notory Public, State of Ohio My Commission Expires: 03/08/20	ntained in this form is true and obtra best of aterials of construction views up standards. I further becarg into (b) ach plant where abrication of further intwoods of or that purpose and index this each pin- and effect as if made up of / Jahn H IS SPACE FOR IT HE FFICIAL SEAL
David H. Peace beponsibility for the qui my knowledge represent amperature ratings, and nanufacture of these fill or in part and has been leclaration consciention Signature of Declarer: Declared before me at This day	ality of the end product do sol that the product for which regis d identification markings are i lings is regulated by a Quality verified by <u>The British Stand</u> usly belleving it to be true, and <u>SCIED</u> AD <u>C</u> and <u>COIED</u> AD <u>COIED</u> AD <u>C</u> and <u>COIED</u> AD <u>COIE</u>	lemniy declare that the information co- stration is sought. The dimensions, m in accordance with the herein named is y Control Program which extends to e lards Institution as being suitable d knowing that it is of the same force USET 1 2010	ntained in this form is true and office best of aterials of construction views to standards. I further best of ach plant where fabrication of urst in wools of or that purpose and angle this solen in and effect as if made under this solen in and effect as if made under this solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the sole
David H. Peace beponsibility for the qui my knowledge represent amperature ratings, and nanufacture of these fill or in part and has been leclaration consciention Signature of Declarer: Declared before me at This day	ality of the end product do sol the the product for which regis d identification markings are i lings is regulated by a Quality verified by <u>The British Stand</u> usiy belleving it to be true, and <u>SOLCO</u> ONT of <u>LID</u> AD <u>C</u> s <u>AD</u> <u>C</u> (Affix Official seal to the re This registration must be re	lemniy declare that the information co- stration is sought. The dimensions, m in accordance with the herein named in y Control Program which extends to e lards Institution as being suitable d knowing that it is of the same force USET 1 2010	ntained in this form is true and office best of aterials of construction view of the best of standards. I further best of the standards of the standard of the
David H. Peace esponsibility for the qui hy knowledge represent smperature ratings, and hanufacture of these fill for in part and has been leclaration consciention Signature of Declarar: Declared before me at This DTH day of Commissioner of Oath- or Notary Public: (sign)	ality of the end product do sol the the product for which regis d identification markings are i lings is regulated by a Quality verified by <u>The British Stand</u> usiy belleving it to be true, and <u>SOLCO</u> ONT of <u>LID</u> AD <u>C</u> s <u>AD</u> <u>C</u> (Affix Official seal to the re This registration must be re	lemniy declare that the information co- stration is sought. The dimensions, m in accordance with the herein named in y Control Program which extends to e lards Institution as being suitable d knowing that it is of the same force USET 1 2010	ntained in this form is true and office best of aterials of construction views to standards. I further best of ach plant where fabrication of urst in wools of or that purpose and angle this solen in and effect as if made under this solen in and effect as if made under this solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the solen in the sole
David H. Peace beponsibility for the quinty knowledge represent amperature ratings, ann- nanufacture of these fill or in part and has been leclaration consciention Signature of Declarer: Doclared before me at This <u>OTH</u> day of Commissioner of Oath- or Notary Public: (sign) CRN: <u>OC6054.5</u> FID#: <u>1214</u> Notes: 1. All fittings shall be re 2. Each category ahall forms and one copy of a 3. The declaration shall responsibility for the quint	ality of the end product do sol that the product for which regis d identification markings are i lings is regulated by a Quality verified by <u>The British Stand</u> usly belleving it to be true, and <u>Solico</u> <u>This</u> <u>Solico</u> <u>This</u> <u>Solico</u> <u>T</u>	lemniy declare that the information co- stration is sought. The dimensions, m in accordance with the herein named in y Control Program which extends to e lards Institution as being suitable d knowing that it is of the same force U S E T I 2010 Jamio L Ristau O Resident Portage County Notary Public, State of Ohio My Cammission Expires: 03/06/20 right) Is space for Regulatory Authority use velidated after ten (10) years from the UNI Jacturer, This Declaration UI authority and C.R dation	ntained in this form is true and office best of aterials of construction view of the best of standards. I further pectary it is the ach plant where a bird and the standards of the of or that purpose and index this soleph and effect as if made upper fails and effect as if made upper fails the is SPACE FOR IT HE FFICIAL SEAL 19 date of acceptions Territories

Ċ

(

(

Attachment B. Scope of Registration for Swagelok 40G Series Ball Valves (Category C)

Product Scope

This document represents the scope of Swagelok 40G Series (41G/42G and 43G) Ball Valves covered by this submission for CRN approval. The Swagelok 40G Series (41G/42G and 43G) Ball Valves were designed and evaluated in accordance with ASME B31.1 for unlisted components and ASME B31.3 for unlisted components.

Summary Table

.

Product Description or Series	Main Pressure Bearing Component	Material	Port Connections and Sizes	Maximum Allowable Working Pressure (psig)		Design Code
				At 70°F	At 300°F	Construction
41G	Body	316 SS/A276 and A479	Swagelok Tube Fitting 1/16", 1/8", 3MM	2500	2500	ASME B31.1 (Unlisted Components) and ASME B31.3 (Unlisted Components)
42G	Body	316 SS/A276 and A479	Swagelok Tube Fitting 1/4", 6MM Female NPT 1/8" VCO Fitting ¼" Male VCR Fitting 1/4"	2500	2500	ASME B31.1 (Unlisted Components) and ASME B31.3 (Unlisted Components)
43G	Body	316 SS/A276 and A479	Swagelok Tube Fitting 1/4", 3/8", ½", 6MM, 8MM Female NPT 1/8", 1/4" Female ISO ¼" Male NPT ¼" Male NPT/Swagelok Tube Fitting ¼" Male VCR Fitting 1/4"	3000	2500	ASME B31.1 (Unlisted Components) and ASME B31.3 (Unlisted Components)

Product Illustration



Typical Product Characteristics:

Some of the product options listed below affect the pressure-temperature ratings shown in the Summary Table, but in all cases the ratings are less than those shown in the Summary Table. All of the following options are within the scope of this registration:

Modified PTFE seat material UHMWPE seat material

Some of the product options listed below do not affect the pressure-temperature ratings shown in the Summary Table. All of the following options are within the scope of this registration:

Straight or Angle-Pattern bodies Body Vent Ports Handle Locking Brackets Latch Lock Handles Stem Extensions Pneumatic and Electric Actuators SC-11 Cleaning

Quality System

The Swagelok Company quality system complies with the requirements of BS EN ISO 9001:2008. The Swagelok Company maintains British Standards Institution Certificate of Registration Number FM 01729, which applies to all locations listed on the Certificate. The Swagelok 40G Series Ball Valves are manufactured at a Swagelok Company locations in Solon, Ohio.

References

The product catalog does not represent the full scope of registration, but rather details some of the most common options.

• Swagelok One-Piece Instrumentation Ball Valves MS-02-331, R9