UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR			
MANUFACTURERS NAME						
MANUFACTURERS ADDR	FACTURERS ADDRESS: 29500 Solon Road, Solon Objo 44130 USA					
PLANT LOCATIONS: Her	douarters: 29500 Solon	Road, Solon, Ohio 44139 USA (See	Attachment 41			
GATEGORY OF	TTINGS TO BE REGISTERS	D. CIRCLE ONE CATEGORY ONLY	Title of the STANDARD OF CONSTRUCTO			
A Pipe fittings, including co 8 Planges: all flanges © Vatves: all fine valves: D Expansion joints, flexible E Strainers, fitters, separate F Measuring devices, include pressuring transmitters G Certified capacity-rated p boilers, pressure vessels H Pressure retaining compo	uplings, tees, elbows, Ys, plug connections, and hase assemi ys, and steem traps fing pressure gauges, level gai ressure relief devices acceptat, piping and fusible plugs ments that do not fall into one is	to the above categories	ASME B31.1 for unlisted components, ASME B31.3 for unlisted components			
SHOW MANUFACTUREDS	NAME TRADEMARY COLO	1, (Meeting AECB or ASME requirements) GO AS IT WILL APPEAR ON THE PRODUC				
Swo	agelok	FIGATION OF THE ACTUAL ITEMS TO BE	PORGEDIO WELDED O WROUGHT ME CAST O OTHER O GESCRIBE OTHER			
ISO 9001:2015 Certificat	e, Attachment A. Attachmer	nt B, Catalog Information and other Sup	port Documents			
DECLARATION: Joel Feldman, Vice President, E	onineering	A L. Swanelok Company				
bet Feldman. Vice President, Esponsibility for the quality ity knowledge represents the imperature ratings, and id- sentifications of these fittings of the part and has been veri- ectaration conscientiously	entification markings ere in a sis regulated by a Quality (fied by BS! beliaving it to be true, and it	mnly declare that the information contain ation is sought. The dimensions, materi accordance with the herein named stan Control Program which extends to each as being suitable for knowing that it is of the same force and	als of construction, pressure dards. I further declare that the plant where fabrication occurs in whole			
bei Feldman. Vice President, Esponsibility for the quality esponsibility for the quality ny knowledge represents to emperature ratings, and Id- tenufacture of these fitting of in part and has been veri sciaration conscientiously ignature of Declarer:	of the end product do sole the product for which registre entification markings are in a s is regulated by a Quality (fled by RS!	mnly declare that the information contain ation is sought. The dimensions, materi accordance with the herein named stan Control Program which extends to each as being suitable for knowing that it is of the same force and	ted in this form is true and to the best of als of construction, pressure dards. I further declare that the plant where fabrication occurs in whole			
bet Feldman, Vice President, Essponsibility for the quality by knowledge represents the imperature ratings, and ideas of these fittings in part and has been vertectaration conscientiously ignature of Declarer:	of the end product do scler the product for which registre- entification markings ere in a is regulated by a Quality (fled by BSI believing it to be true, and i	may declare that the information contain ation is sought. The dimensions, materia accordance with the herein named stan Control Program which extends to each as being suitable for knowing that it is of the same force and t	and in this form is true and to the best of construction, pressure dards. I further declare that the plant where fabrication occurs in whole that purpose and I make this solemn effect as if made under oath. S. S.P.A.C.E. F.O.R. T.H.E.			
lost Feldman. Vice President, Esponsibility for the quality by knowledge represents the imperature ratings, and ideanufacture of these fittings in part and has been verticular attention conscientiously ignature of Declarer: actared before me at	of the end product do scler he product for which registre entification markings ere in a is requisted by a Quality of fied by BS! believing it to be true, and it to be true, and it	many declare that the information contain ation is sought. The dimensions, material accordance with the herein named stance control Program which extends to each as being suitable for knowing that it is of the same force and the control Program which extends to each as being suitable for knowing that it is of the same force and the control Program which extends to each as the control Program which extends to each as the control Program which extends to each a control Program which	and in this form is true and to the best of construction, pressure dards. I further declare that the plant where fabrication occurs in whole that purpose and I make this solemn effect as if made under oath. S S P A C E F O R T H E			
tool Feldman. Vice President, Esponsibility for the quality by knowledge represents the imperature ratings, and idea in the part and has been veries claration conscientiously ignature of Declarer; actared before me at the imperature of day of marrissioner of Oaths	of the end product do scler he product for which registre entification markings ere in a field by BSI belleving it to be true, and in Unable to yetap not due to Covid-19 sit	many declare that the information contain ation is sought. The dimensions, material accordance with the herein named stant control Program which extends to each as being suitable for knowing that it is of the same force and the same force an	and in this form is true and to the best of construction, pressure dards. I further declare that the plant where fabrication occurs in whole that purpose and I make this solemn effect as if made under oath. S. S.P.A.C.E. F.O.R. T.H.E.			
Doel Feldman, Vice President, Esponsibility for the quality my knowledge represents the imperature ratings, and identification of these fitting run part and has been vertical accuration conscientiously signature of Declarer: declared before me at	of the end product do scler the product for which registre entification markings are in a size requisited by a Quality of field by BS! believing it to be true, and it believing it to be true.	many declare that the information contain ation is sought. The dimensions, material accordance with the herein named stant control Program which extends to each as being suitable for knowing that it is of the same force and the same force an	and in this form is true and to the best of als of construction, pressure dards. I further declare that the plant where fabrication occurs in whole that purpose and I make this solemn effect as if made under eath. S S P A C E F O R T H E			
bet Feldman. Vice President, Esponsibility for the quality by knowledge represents the presents the presents the present of these fittings in part and has been veri sciaration conscientiously ignature of Declarer; sectared before me at day of many public (eign)	of the end product do sole the product for which registre entification markings ere in a sis regulated by a Quality of field by BS! belleving it to be true, and it belleving it to be true, and it to Covid-19 sit (Alfix Official sesi to the right This	many declare that the information contain ation is sought. The dimensions, material accordance with the herein named stan Control Program which extends to each as being suitable for its being suitable for its knowing that it is of the same force and the same f	als of construction, pressure als of construction, pressure deards. I further declare that the plant where fabrication occurs in whole that purpose and I make this solemn effect as if made under oath. S SPACE FOR THE I CIAL SEAL			
bet Feldman. Vice President, Esponsibility for the quality by knowledge represents to importance attings, and ideason for the entire of these fittings in part and has been verification conscientiously agneture of Declarer: actared before me at	of the end product do sole the product for which registre entification markings ere in a sis regulated by a Quality of field by BS! belleving it to be true, and it belleving it to be true, and it to Covid-19 sit (Alfix Official sesi to the right This	many declare that the information contain ation is sought. The dimensions, material accordance with the herein named stant Control Program which extends to each as being suitable for its being suitable for knowing that it is of the same force and the same forc	and in this form is true and to the best als of construction, pressure dards. I further declare that the plant where fabrication occurs in whole that purpose and I make this solemn effect as if made under eath. S SPACE FOR THE ICIAL SEAL			
bet Feldman. Vice President, Esponsibility for the quality by knowledge represents the presents the presents the present of these fittings of these fittings of the part and has been vertically estaration conscientiously in part and has been vertically estaration conscientions. In part and the present of the present of the part and the par	of the end product do sole the product for which registre entification markings ere in a is regulated by a Quality of field by BS! believing it to be true, and it believing it to be true, and it to Covid-19 sit (Alfix Official seal to the right This is a registration must be reveal.)	many declare that the information contain ation is sought. The dimensions, material accordance with the herein named stant control Program which extends to each us being suitable for its being suitable for	and in this form is true and to the best als of construction, pressure dards. I further declare that the plant where fabrication occurs in whole that purpose and I make this solemn effect as if made under cath. S. S. P. A. C. E. F. D. R. T. H. E. I. C. I. A. L. S. E. A. L.			



Canadian Registration Number Submittal Category C: Swagelok GB Series Ball Valve

Attachment B: Scope for Swagelok GB Series, 316 Stainless Steel and Alloy 2507, General Service Ball Valves (Category C)

This document represents the scope of the GB Series General Service Ball Valves, 2- and 3-piece designs, covered by this submission for CRN approval. These products were designed and evaluated in accordance with ASME B31.1-2018 for unlisted components and ASME B31.3-2018 for unlisted components.

Summary Table

Product Series	Main Pressure Bearing Components	Main Pressure Bearing Material (Standard)	Port Connections and Sizes	Maximum Rated Pressure (psig)		Design Code
				At -40°F to 100°F	At maximum temperature 250°F	of Construction
		316 SS (ASTM A479)	Swagelok Tube Fitting 3/8", 1/2", 12mm			ASME B31.1 (Unlisted Components) and ASME B31.3 (Unlisted Components)
			Female NPT 3/8", 1/2", 3/4"	6,000	4,935	
	Body, End Screw(s)		Female ISO/BSP Tapered (RT) 3/8", 1/2", 3/4"			
	Ocicw(3)		Swagelok Tube Fitting 3/4"	5,800	4,935	
8GB			Swagelok Tube Fitting 16mm	5,810	4,935	
			Swagelok Tube Fitting 18mm	5,375	4,935	
			Swagelok Tube Fitting 20mm	5,520	4,935	
	Body, End Screw(s)	Alloy 2507 (ASTM A479)	Swagelok Tube Fitting 3/8", 1/2", 3/4"		5,818	
			Female NPT 3/8", 1/2", 3/4"	6,000		
			Female ISO/BSP Tapered (RT) 3/8", 1/2", 3/4"			
	Body, End Screw(s)	316 SS (ASTM A479)	Swagelok Tube Fitting 3/4"	5,800	4,935	
			Swagelok Tube Fitting 1"	4,700	4,653	
			Swagelok Tube Fitting 18mm	5,375	4,935	
			Swagelok Tube Fitting 20mm	5,520	4,935	
			Swagelok Tube Fitting 22mm	4,935	4,885	
			Swagelok Tube Fitting 25mm	4,645	4,598	
16GB			Female NPT 3/4", 1"	6,000	4,935	
Body, End Screw(s)			Female ISO/ BSP Tapered (RT) 3/4", 1"			
		Alloy 2507 (ASTM A479)	Swagelok Tube Fitting 3/4"	6,000	5,818	
			Female NPT 3/4", 1"			
			Female ISO/ BSP Tapered	6,000	5,010	
			(RT) 3/4", 1"		2020-03316	BSA

SAFETY CODES ACT - PROVINCE OF ALBERTA
ACCEPTED: 0C20808.2
See acceptance letter for
conditions of registration.
Date: 2020-07-07
By: Zon Zonovivo

Date: June 23, 2020

Page 1 of 2

ZANA RADISAVLJEVIC, P. Tech. (Eng.)



Canadian Registration Number Submittal Category C: Swagelok GB Series Ball Valve

Product Illustration



Configurations

Bodies are only available in a straight pattern (2 ports), as shown in the above illustration.

Product Options:

The above summary table shows the options within scope of this registration. Additional options that do not affect pressure and/or temperature ratings are also available within the scope of this approval. Examples of these include:

Date: June 23, 2020

Page 2 of 2

- Handle options
- Pneumatic actuators

Quality System

The Swagelok Company quality system complies with the requirements of ISO 9001:2015. The Swagelok Company maintains BSI Certificate of Registration Number FM 01729, which applies to all locations listed on the Certificate.

References

The product catalog does not represent the full scope of registration, but rather details some of the most common options:

- GB Series General Service Ball Valves Catalog MS-02-484, Rev B
- Technical drawings availible at thomas.net
 https://cad.swagelok.com/? ga=2.159136250.1391233614.15905863421032800005.1561382416

Attachment A. Swagelok Manufacturing Locations

This document lists the Swagelok locations where end item or component level manufacturing activities take place.

Swagelok Company	Swagelok Company (Falon 1)
29500 Solon Road	348 Bishop Road
Solon, Ohio 44139	Highland Heights, Ohio 44143
USA	USA
Swagelok Company (Highland)	Swagelok Company (Falon 2)
318 Bishop Road	358 Bishop Road
Highland Heights, Ohio 44143	Highland Heights, Ohio 44143
USA	USA
Swagelok Company (OFC)	Swagelok Company (HPF)
29495 F.A. Lennon Drive	6050 Cochran Road
Solon, Ohio 44139	Solon, Ohio 44139
USA	USA
Swagelok Company (Atlantic)	Swagelok Company (Snow Metal)
26651 Curtiss Wright Parkway	6060 Cochran Road
Willoughby Hills, Ohio 44092	Solon, Ohio 44139
USA	USA
Swagelok Company (Micro) 26653 Curtiss Wright Parkway Willoughby Hills, Ohio 44092 USA	Swagelok Company (Alfred) 29500 Ambina Drive Solon, Ohio 44139
Swagelok Hose Services Company (SHSC)	Swagelok Company (Strongsville)
29900 Solon Industrial Parkway	15400 Foltz Road
Solon, Ohio 44139	Strongsville, Ohio 44119
Swagelok (China) Fluid System Technologies Ltd. Changshu Export Process Zone Changshu Economic Development Zone Changshu, Jiangshu 215513 China	Swagelok Limited Ballafletcher Road Tromode IM4 4RA Isle of Man



9410 - 20 Ave N.W. Edmonton, Alberta, Canada T6N 0A4

Tel: (780) 437-9100 / Fax: (780) 437-7787

July 07, 2020

Attention: Jonathan Seewald

SWAGELOK COMPANY 29500 SOLON ROAD SOLON, OH 44139

The design submission, tracking number 2020-03316, originally received on June 30, 2020 was surveyed and accepted for registration as follows:

CRN: 0C20808.2 **Accepted on:** July 07, 2020

Reg Type: NEW DESIGN Expiry Date: July 07, 2030

Drawing No.: CATALOG MS-02-484 Rev B

Fitting type: GENERAL SERVICE BALL VALVES (SERIES 8GB & 16GB)

The registration is conditional on your compliance with the following notes:

As indicated on AB-41 Statutory Declaration form and submitted documentation, the code of construction are ASME B31.1 and ASME B31.3.

- It is our understanding that the fitting(s), included as the scope of this submission, that is(are) subject to the Safety Codes Act shall comply with the requirements of the indicated Standard or Code of Construction on the AB-41 Statutory Declaration as supported by the attached data which identifies the dimensions, materials of construction, press./temp. ratings and the basis for such ratings, and the identification marking of the fittings.
- This registration is valid only for fittings fabricated at the location(s) covered by the QC certificate attached to the accepted AB-41 Statutory Declaration form.
- This registration is valid only until the indicated expiry date and only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency until that date.
- Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.

An invoice covering survey and registration fees will be forwarded from our Revenue Accounts.

If you have any question don't hesitate to contact me by phone at (780) 433-0281 ext 3369 or fax (780) 437-7787 or e-mail Radisavljevic@absa.ca.

Sincerely,

RADISAVLJEVIC, ZANA, P. Tech. (Eng.)

Zana Padisay/jevil

DOP Cert. No. D00003136

2020-03316 Page 1 of 1