08-21-2015

W BRUNSWICK INAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
ANUFACTURERS NAME:	Swagelok Company		
IANUFACTURERS ADORES	S: 29500 Solon Roa	d. Solon, Objo 44139-3492	
LANT LOCATIONS: Head	quarters: 29500 Solo	n Road, Solon, Ohio 44139-3492 (So	e Attachment A)
		ED. CIRCLE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION
		igs, unions, pipe caps, or reducers	
l Flanges: ell flanges	ASME B31.1 and B31.3		
Valves: all line valves	Unlisted Components		
Expansion joints, flaxible of Strainers, filters, separator		mblies; sil types	İ
		gauges, sight glasses, levels, or	
pressura transmitters			
bollers, pressure vessele.	assure relief devices accep	table as primary over pressure protection on	,
Pressure retaining compor		ne of the above categories	ļ
		☐ (Meeting AECB or ASME requirements)	
		LOGO AS IT WILL APPEAR ON THE PROD	
			FORGEG O WELDED O WEDUGHT O
			CAST DOTHER E
			DESCRIBE OTHER
Sillic	inolole		DESCRIBE OTHER: Injection Molded
		NTIFICATION OF THE ACTUAL FIEMS TO E Ort Documents, Attachment B, Catalog In	Injection Molded
			Injection Molded
	System Certificate, Տարը	ort Documents, Attachment B, Catalog Ir	Injection Molded
ISO 9001:2008 Quality Sectaration: David H. Peace spansibility for the quality mperatura ratings, and is nanufacture of these fitting r in part and has been ve	System Certificate, Suppose of the and product do the destination markings at galax for the brush has a finited by a Questified by The Brush has a finited by The Brush has a finite before the finite but the	ort Documents, Attachment B, Catalog Ir oyed by <u>Swagelok Company</u> an solemnly declara that the infarmation con gistration is sought. The dimensions, many re in accordance with the harein named is	Injection Molded IE REGISTERED Information In being the person having full authority intained in this form is Irue and to the besidentials of construction, presoura standards. I further declare that the ach plant where fabrication occurs in what for that purpose and I make this solemn.
ISO 9001:2008 Quality Sectaration: David H. Peace spansibility for the quality knewledge represents emperatura ratings, and in anufacture of these filling in part and has been velectarstion conscientious	System Certificate, Suppose of the and product do the destination markings at galax for the brush has a finited by a Questified by The Brush has a finited by The Brush has a finite before the finite but the	ort Documents, Attachment B, Catalog Ir oyed by <u>Swagelok Company</u> as solemnly declara that the infarmation col gistration is sought. The dimensions, m re in accordance with the harein named a slity Control Program which extends to a sudands institution as being suilable	Injection Molded IE REGISTERED Information In being the person having full authority intained in this form is Irue and to the besidentials of construction, presoura standards. I further declare that the ach plant where fabrication occurs in what for that purpose and I make this solemn.
ECLARATION: David H. Peace spansibility for the quality ty knewledge represents imperature of these fittin r in part and has been ve eclarstion conscientiousl	System Certificate, Suppose of the and product do the destination markings at galax for the brush has a finited by a Questified by The Brush has a finited by The Brush has a finite before the finite but the	oved by Swagolok Company as solemnly declars that the infarmation congistration is sought. The dimensions, make in accordance with the hisrain named sality Control Program which extends to endards justitution as being suitable and knowing that it is of the same force	Intercept and being the person having full authority intained in this form is true and to the best alerials of construction, presoura standards. I further declare that the ach plant where fabrication occurs in whe for that purpose and I make this solemn and effect as if made undar oath.
ISO 9001:2008 Quality Sectaration: David H. Peace spansibility for the quality knewledge represents emperatura ratings, and in anufacture of these fillings in part and has been very second to the second the se	y of the and product do the product for which re dentification markings at ge is regulated by a Que wified by The British Str y believing it to be true.	oved by Swagelok Company as solemnly declara that the infarmation congistration is sought. The dimensions, more in accordance with the hisrain named sality Control Program which extends to endards institution as being suitable and knowing that it is of the same force	Injection Molded IE REGISTERED Information In being the person having full authority intained in this form is Irue and to the besidentials of construction, presoura standards. I further declare that the ach plant where fabrication occurs in what for that purpose and I make this solemn.

This space for Regulatory Authority usa This registration must be revalidated after ten (10) years from the date of acceptance. CRN: 0A6054.5 Rev.2 1214

F10#:

 All fittings shall be registered in the name of the Menufacturer.
 Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.

3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.

4. Quality control pregrams shall be resubmitted for validation

at a maximum interval of five (5) years.

Attachment B. Scope for Swagelok PFA Tube Fittings (Category A)

Product Scope

This document represents the scope of the PFA Tube Fittings covered by this submission for CRN approval. The Swagelok PFA Tube Fittings were designed and evaluated in accordance with ASME B31.1 for unlisted components and ASME B31.3 for unlisted components.

Summary Table

The following table outlines key technical data for the products in scope of this application. Also included are standards for the materials of construction of the PFA Fittings.

Product Series Main Pressure Bearing Component	Main		Maximum Rated Pressure			
	Main Press Bearing Compone	Pressure Bearing Material	Port Connections and Sizes	Ambient Temperature (70°F)	Maximum Temperature (140⁰F)	Design Code of Construction
PFA-220	Body	PFA (ASTM D3307)	PFA Tube Fitting 1/8"	150 psi	150 psi	ASME B31.1 (Unlisted Components) and ASME B31.3 (Unlisted Components)
PFA-420	Body	PFA (ASTM D3307)	PFA Tube Fitting 1/4"	150 psi	150 psi	ASME B31.1 (Unlisted Components) and ASME B31.3 (Unlisted Components)
PFA-620	Body	PFA (ASTM D3307)	PFA Tube Fitting 3/8"	125 psi	109 psi	ASME B31.1 (Unlisted Components) and ASME B31.3 (Unlisted Components)
PFA-820	Body	PFA (ASTM D3307)	PFA Tube Fitting ½"	80 psi	74 psi	ASME B31.1 (Unlisted Components) and ASME B31.3 (Unlisted Components)

ASME B31.1 Section 105.3 limits the product ratings in non-metallic piping systems to a maximum pressure of 150 psi (10.3 bar) and a maximum temperature of 140 °F (60 °C).



Product Illustration



Typical Product Characteristics:

Some of the product options listed below do not affect the pressure-temperature ratings shown in the Summary Table. All of the following options are within the scope of this registration:

Caps and Plugs

Quality System

The Swagelok Company quality system complies with the requirements of BS EN ISO 9001:2008. The Swagelok Company maintains British Standards Institution Certificate of Registration Number FM 01729, which applies to all locations listed on the Certificate. The PFA Tube Fittings are manufactured at Swagelok Company locations in Solon, Ohio and Tromode, Isle of Man, British Isles.

References

The product catalog does not represent the full scope of registration, but rather details some of the most common options.

PFA Tube Fitting Catalog MS-01-05, R8

