UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS **NEW BRUNSWICK** NOVA SCOTIA PRINCE EDWARD ISLAND **NEWFOUNDLAND AND LABRADOR** NUNAVUT VUKON NORTHWEST TERRITORIES MANUFACTURERS NAME: Swagelok Company MANUFACTURERS ADDRESS: 29500 Solon Road, Solon, Ohio 44139-3492

PLANT LOCATIONS: Headquarters: 29500 Solon Road, Solon, Ohio 44139-3492 (See Attachment A) CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY TITLE OF THE STANDARD OF CONSTRUCTION Pipe fittings, including couplings, teas, albows, Ys, plugs, unions, pipe caps, or reducers ASME B31.1 and B31.3 B Flanges: all flanges C Valves: all line valves **Unlisted Components** D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps .F. Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H. Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 🗆 Class 2 🗅 Class 3 🖨, (Meeting AECB or ASME requirements) SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT TYPE OF CONSTRUCTION FORGEO CI WELDED D WROUGHT CI CAST CI BINE BESCRIBE OTHER Injection Molded UST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE AUTUS. ITEMS TO BE REGISTERED. ISO 9001:2008 Quality System Certificate, Support Documents, Attachment B, Catalog Information DECLARATION: I David H. Peace jees rose 3) employed by Swagelok Company and being the person having full authority and responsibility for the quality of the and product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure

nanutacture of these fitting Ir in part and has been ver	gs is regulated by a Quality Control I rifled by The British Standards Justi	ance with the herein named standards. I further declare that the Program which extends to each plant where fabrication accurs in whele intition————————————————————————————————
Signature of Declarer:  Declared before me at  This day of  Commissioner of Oaths or Natary Public: (sign)	(Affix Official seal to the right)	USETHIS SPACE FOR THE:  OFFICIAL SEAL  Lori A. Sarver, Notary Public  State of Chile, Summit County  My Commission 13, 2015 NIII! AVIII
CRN: 0A6054.5  FID#: 1214  Notes: t All fittings shall be registed. Each category shall be a forms and one copy of supports the declaration shall be responsibility for the quality.	this registration must be revalidated Rev. 2  tered in the name of the Manufacturer, supported with two Statutory Declaration porting documentation, a made by the person having full authority of the end product, a shall be resubmitted for validation	J = /

# Attachment B. Scope for Swagelok PFA Tube Fittings (Category A)

## Product Scope

This document represents the scope of the PFA Tube Fittings covered by this submission for CRN approval. The Swagelok PFA Tube Fittings were designed and evaluated in accordance with ASME B31.1 for unlisted components and ASME B31.3 for unlisted components.

#### Summary Table

The following table outlines key technical data for the products in scope of this application. Also included are standards for the materials of construction of the PFA Fittings.

Product Series Main Pressure Bearing Component	sure 3 ant	Main Pressure Bearing Material	Port Connections and Sizes	Maximum Rated Pressure		
	Main Press Bearing Compone			Ambient Temperature (70°F)	Maximum Temperature (140⁰F)	Design Code of Construction
PFA-220	Body	PFA (ASTM D3307)	PFA Tube Fitting 1/8"	150 psi	150 psi	ASME B31.1 (Unlisted Components) and ASME B31.3 (Unlisted Components)
PFA-420	Body	PFA (ASTM D3307)	PFA Tube Fitting 1/4"	150 psi	150 psi	ASME B31.1 (Unlisted Components) and ASME B31.3 (Unlisted Components)
PFA-620	Body	PFA (ASTM D3307)	PFA Tube Fitting 3/8"	125 psi	109 psi	ASME B31.1 (Unlisted Components) and ASME B31.3 (Unlisted Components)
PFA-820	Body	PFA (ASTM D3307)	PFA Tube Fitting ½"	80 psi	74 psi	ASME B31.1 (Unlisted Components) and ASME B31.3 (Unlisted Components)

ASME B31.1 Section 105.3 limits the product ratings in non-metallic piping systems to a maximum pressure of 150 psi (10.3 bar) and a maximum temperature of 140 °F (60 °C).



## Product Illustration



## Typical Product Characteristics:

Some of the product options listed below do not affect the pressure-temperature ratings shown in the Summary Table. All of the following options are within the scope of this registration:

Caps and Plugs

### Quality System

The Swagelok Company quality system complies with the requirements of BS EN ISO 9001:2008. The Swagelok Company maintains British Standards Institution Certificate of Registration Number FM 01729, which applies to all locations listed on the Certificate. The PFA Tube Fittings are manufactured at Swagelok Company locations in Solon, Ohio and Tromode, Isle of Man, British Isles.

#### References

The product catalog does not represent the full scope of registration, but rather details some of the most common options.

PFA Tube Fitting Catalog MS-01-05, R8

