UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK NUNAVUT NOVA SCOTIA YUKON

PRINCE EDWARD ISLAND NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Swagelok Company						
MANUFACTURERS ADDRESS; 29500 Solon Road, Solon, Ohio 44139 USA						
PLANT LOCATIONS: Headquarters: 29500 Solon Road, Solon, Ohio 44	120 FIGA (Can Alterday A)					
CATEGORY OF FITTINGS TO BE REGISTERED, CIRCLE ONE CATEGO	DRY ONLY TITLE OF THE STANDARD OF CONSTRUCTION					
A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or rec B Flanges; all flanges. C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps (F) Measuring devices, including pressure gauges, level gauges, sight glasses, levels pressure transmitters.	ASME B31.1 and ASME B31.3 (for unlisted components)					
G Certified capacity-rated pressure relief devices acceptable as primary over pressure bollers; pressure vessels, piping and fusible plugs. H Pressure retaining components that do not fall into one of the above categories. N Nuclear components: Class 1 🖸 Class 2 🗗 Class 3 🗋, (Meeting AECR or ASN.)	IF (equirgraphic)					
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR	FORGED O WELDED O WROUGHT EL CAST O OTHER O DESCRIBE OTHER:					
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTU	AL ITEMS TO BE REGISTERED:					
DECLARATION: I	Information contained in this form is true and to the best of dimensions, materials of construction, pressure nerein named standards. I further declare that the nextends to each plant where fabrication occurs in whole					
Signature of Declarer: Declared before me at 5000 0000	USETHIS SPACE PARTE					
Commissioner of Oaths Or Notary Public; (sign) Commissioner of Oaths Official seal to the right) Rasiden Hotary Public; (sign) Hotary Public; (Affix Official seal to the right)	nie L. Ristau O. F. F. I. C. J. A. T. D. T. J.					
This space for Regulatory Auth use This registration must be revalidated after ten (19) wars from the date of acceptance.						
CRN: <u>0F18289.5</u>	Nunavut Pressure Vessels Act					
FID#: 1214	REĞIŞ TERÊD					
Notes: 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.	ORN OF 18289, SN Date May 17 2016 Signed Chestory Core					
	Territorial Revisiration Fee					

Attachment B. Scope of Registration for Swagelok PTX Series Digital Pressure and Temperature Transducers (Category F)

Product Scope

This document represents the scope of Swagelok PTX Series Digital Pressure and Temperature Transducers covered by this submission for CRN approval. The Swagelok PTX Series Digital Pressure and Temperature Transducers were designed and evaluated in accordance with ASME B31.1 for unlisted components and ASME B31.3 for unlisted components.

Summary Table

Product Description or Series	Main Pressure Bearing Component	Material	Port Connections and Sizes	Maximum Allowable Working Pressure (psig)		Design Code of
				At 70°F	At 158°F	Construction
PTX G050 Model Full Scale Range 0 to 50 psig (3.4 bar)	Body	Stainless Steel (ASTM A479 UNS S31600)	1.5 in. Swagelok MPC modular surface mount in accordance with ANSI/ISA 76.00.02 1/4 in. Swagelok tube fittings 6 mm Swagelok Tube Fittings	50	50	ASME B31.1 (Unlisted Components and ASME B31.3 (Unlisted Components)
PTX G250 Model Full Scale Range 0 to 250 psig (17.2 bar)	Body	Stainless Steel (ASTM A479 UNS S31600)	1.5 in. Swagelok MPC modular surface mount in accordance with ANSI/ISA 76.00.02 1/4 in. Swagelok tube fittings 6 mm Swagelok Tube Fittings	250	250	ASME B31.1 (Unlisted Components and ASME B31.3 (Unlisted Components)
PTX G500 Model Full Scale Range 0 to 500 psig (34.4 bar)	Body	Stainless Steel (ASTM A479 UNS S31600)	1.5 in. Swagelok MPC modular surface mount in accordance with ANSI/ISA 76.00.02 1/4 in. Swagelok tube fittings 6 mm Swagelok Tube Fittings	500	500	ASME B31.1 (Unlisted Components and ASME B31.3 (Unlisted Components)

Product Illustration



Quality System

The Swagelok Company quality system complies with the requirements of BS EN ISO 9001:2008. The Swagelok Company maintains British Standards Institution Certificate of Registration Number FM 01729, which applies to all locations listed on the Certificate. The Swagelok Digital Pressure and Temperature Transducers are manufactured at a Swagelok Company locations in Solon, Ohio.

References

The product catalog does not represent the full scope of registration, but rather details some of the most common options.

- Swagelok Intrinsically Safe Pressure and Temperature Transducers MS-02-475
- Swagelok Digital Pressure and Temperature Transducers MS-02-434