UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK NUNAVUT MANUFACTURER NOVA SCOTIA YUKON PRINCE EDWARD ISLAND NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Swagelok Company					
ANUFACTURERS ADDRESS: 29500 Solon Road Solon Objo 44139-3492					
PLANT LOCATIONS: Headquarters: 29500 Solon Road, Solon, Ohio 44	139-3492 (See Attachment A)				
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEG	ORY ONLY IITLE OF THE STANDARD OF CONSTRUCTION				
A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or red B Fianges: all flanges (C) Valves: all fine valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, pressure transmitters	for Unlisted Components				
 G Certified capacity-rated pressure relief devices acceptable as primary over pressure bollers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories 					
N Nuclear components: Class 1 □ Class 2 □ Class 3 □, (Meeting AECB or ASN	E requirements)				
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR SWAGELOK LIST OF PURPOSTNING ROOM METERS AND AS IT WILL APPEAR	FORGED D WELDED WROUGHT ST CAST D OTHER D DESCRIBE OTHER:				
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTU					
ISO 9001:2008 Quality System Certificate, Support Documents, Attachmen	Come a Arriva de				
DECLARATION: I <u>David H. Peace</u> responsibility for the quality of the end product do solemnly declare that the my knowledge represents the product for which registration is sought. The temperature ratings, and identification markings are in accordance with the manufacture of these fittings is regulated by a Quality Control Program which or in part and has been verified by <u>The British Standards Institution</u> as declaration conscientiously believing it to be true, and knowing that it is of the	ilmensions, materials of construction pressure services and the services are the services and the services are the services are the services and the services are the services a				
Signature of Declarer:					
Declared before me at 50150 COID	USETHIS SPACE FOR THE				
Commissioner of Oaths or Notary Public: (sign) (Affix Official seal to the right) Resident I Resident I Rotary Public R	ortage County lc, State of Ohic Expires: 03/08/2019				
This space for Regulatory Au This registration must be revalidated after ten (10)	ars from the date of acceptansfiers and				
CRN: <u>OC6054.5 ADD1</u> 4	Nunavut Pressure Vessels Act				
FID#: <u>1214</u>	REGISTERED				
Notes: 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation	CRN OC 6054. SN Add 14 Date OC+ 28, 3016 Signed Chief Inspector				
at a maximum interval of five (5) years.	Territorial Registration Fee				

Attachment B. Scope of Registration for Swagelok 40G Series Ball Valves (Category C)

Product Scope

This document represents the scope of Swagelok 40G Series (41G/42G and 43G) Ball Valves covered by this submission for CRN approval. The Swagelok 40G Series (41G/42G and 43G) Ball Valves were designed and evaluated in accordance with ASME B31.1 for unlisted components and ASME B31.3 for unlisted components.

Summary Table

Product Description or Series	Main Pressure Bearing Component	Material	Port Connections and Sizes	Maximum Allowable Working Pressure (psig)		Design Code of
				At 70°F	At 300°F	Construction
41G	Body	316 SS/A276 and A479	Swagelok Tube Fitting 1/16", 1/8", 3MM	2500	2500	ASME B31.1 (Unlisted Components) and ASME B31.3 (Unlisted Components)
42G	Body	316 SS/A276 and A479	Swagelok Tube Fitting 1/4", 6MM Female NPT 1/8" VCO Fitting 1/4" Male VCR Fitting 1/4"	2500	2500	ASME B31.1 (Unlisted Components) and ASME B31.3 (Unlisted Components)
43G	Body	316 SS/A276 and A479	Swagelok Tube Fitting 1/4", 3/8", ½", 6MM, 8MM Female NPT 1/8", 1/4" Female ISO ¼" Male NPT ½" Male NPT/Swagelok Tube Fitting ¼" Male VCR Fitting 1/4"	3000	2500	ASME B31.1 (Unlisted Components) and ASME B31.3 (Unlisted Components)

_

Product Illustration



Typical Product Characteristics:

Some of the product options listed below affect the pressure-temperature ratings shown in the Summary Table, but in all cases the ratings are less than those shown in the Summary Table. All of the following options are within the scope of this registration:

Modified PTFE seat material UHMWPE seat material

Some of the product options listed below do not affect the pressure-temperature ratings shown in the Summary Table. All of the following options are within the scope of this registration:

Straight or Angle-Pattern bodies Body Vent Ports Handle Locking Brackets Latch Lock Handles Stem Extensions Pneumatic and Electric Actuators SC-11 Cleaning

Quality System

The Swagelok Company quality system complies with the requirements of BS EN ISO 9001:2008. The Swagelok Company maintains British Standards Institution Certificate of Registration Number FM 01729, which applies to all locations listed on the Certificate. The Swagelok 40G Series Ball Valves are manufactured at a Swagelok Company locations in Solon, Ohio.

References

The product catalog does not represent the full scope of registration, but rather details some of the most common options.

• Swagelok One-Piece Instrumentation Ball Valves MS-02-331, R9