DocuSign Envelope ID: 8B14218E-7876-411E-8B34-007B3243AACD RM FOR THE REGISTRATION OF FITTING DESIGNS NEW BRUNSWICK **NOVA SCOTIA** PRINCE EDWARD ISLAND NEWFOUNDLAND AND LABRADOR NUNAVUT YUKON NORTHWEST TERRITORIES MANUFACTURERS NAME: Swagelok Company MANUFACTURERS ADDRESS: 29500 Solon Road, Solon, Ohio 44139 USA PLANT LOCATIONS: Headquarters: 29500 Solon Road, Solon, Ohio 44139 USA (See Attachment A) CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY TIFUE OF THE STANDARD OF CONSTITUCTION A Pipe fittings, including couplings, toes, elbows, Ys. plugs, unions, pipe caps, or reducers Rubber Products B Flanges: all flanges C Valves: all line valves Manufacturers (ARPM) DExpansion joints, flexible connections, and hose assemblies: all types Hose Handbook E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or praesure transmitters G Cartified capacity-rated pressure relief devices acceptable as primary over pressure protection on bollers, pressure vessels, piping and fusible plugs

H Pressure retaining components that do not fall into one of the above bategories N Nuclear components: Class 1 🗆 Class 2 🗅 Class 3 🗖, (Mesting AECB or ASME requirements) SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT. TYPE OF CONSTRUCTION FORGED | WELDED | WROUGHT | CAST | O OTHER | X Nylon and Polyethylene Core LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: ISO 9001:2015 Certificate, Attachment A, Attachment B, Catalog Information and other Support Documents DECLARATION: Joel Feldman, Vice President, Engineering (eco coto a) employed by Swagelok Company and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by BSI as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath, (10/22/2020 | 10:20 AM EDT Signature of Declarer. Declared before me at Unable to get a notary signature of Is SPACE FOR THE day of seal due to COVID-19 situation OFFICIAL SEAL Commissioner of Oaths or Notary Public: (sign) - October 22, 2020 (Affix Official seal to the right) This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the date of acceptance.

ACCEPTED CRN: 0D22889.5 PROVINCE OF PRINCE EDWARD ISLAND FID#: 1214 COMMUNITIES, LAND & ENVIRONMENT

This registration must be revelidated after ten (10) years from the date of acceptance.

ACCEPTED

This registration must be revelidated after ten (10) years from the date of acceptance.

ACCEPTED

PROVINCE OF PRINCE EDWARD ISLAND

COMMUNITIES, LAND & ENVIRONMENT

Nylon series (7N, 7R, 8N & 8R) &

Notes:Polyethylene series (7P) hose assemblies.

1. All fittings shall be registered in the nume of the Manufacturer.

2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.

3. The doclaration shall be made by the person having full authority and responsibility for the quality of the end product.

4. Quality control programs shall be resubmitted for velidation at a maximum interval of five (5) years.

CRN expires Dec. 16th, 2030 - DG



THIS IS PART OF CRN
0D22889.5
Technical Standards and Safety Authority
Boilers and Pressure Vessels Safety
Program

September 21, 2020 Page 1 of 4

Attachment B: Scope of Registration for Swagelok Nylon Series (7N, 7R, 8N & 8R) and Polyethylene Series (7P) Hose Assemblies (Category D)

This document represents the scope of Swagelok Nylon Series (7N, 7R, 8N, 8R) and Polyethylene Series (7P) Hose Assemblies covered by this submission for CRN approval. These products have been evaluated in accordance with the Association for Rubber Products Manufacturers (ARPM) Hose Handbook.

Summary Table

Product Description or Series	Pressure retaining Material	End Connections and Sizes	Nominal Hose Size (in.)	Maximum Pressure at Temperature (psig)		Design Code
				At -40 to 70°F Temp.	At Maximum Temp. (200°F)	of Construction
7N Nylon Hose	Smooth Bore Core SAE nonconductive nylon (7N)	SM] 1/4" – 1/2" (6-12mm) Female 37° JIC with female swivel nut [AN, AS] 1/4" – 1/2" Male ISO/BSP Tapered (ISO 7) Pipe Threads [MT]	1/4	2750	1750	
	Synthetic fiber reinforcement Hose Cover		3/8	2250	1750	
	Polyurethane cover End Connections 316 SS		1/2	2000	1750	
7R Nylon Hose	Smooth Bore Core Nylon (7R) Core Covered By Synthetic fiber reinforcement Hose Cover	Female 37° JIC with female swivel nut [AN, AS] 1/4" – 1/2" Male ISO/BSP Tapered (ISO 7) Pipe Threads [MT] 1/4" – 1/2" Male NPT Tapered Pipe	2000	Association for		
			3/8	2250	2000	Rubber Products Manufacturers (ARPM) Hose Handbook
	Polyurethane cover End Connections 316 SS		1/2	2000	1500	
8R Nylon Hose	Smooth Bore Core Nylon Blend Thermoplastic Core Covered By Synthetic fiber reinforcement Hose Cover Polyurethane cover	Swagelok Tube Fitting [SL SM] 1/4" – 1" (6-12mm) Female 37° JIC with female swivel nut [AN, AS] 1/4" – 1" Male ISO/BSP Tapered (ISO 7) Pipe Threads [MT] 1/4" – 1"	1/4	5000	3250	
			3/8	4000	3250	
			1/2	3500	2750	
			3/4	2250	1500	
	End Connections 316 SS	Male NPT Tapered Pipe Fitting [PM] 1/4" – 1"	1	2000	1125	



THIS IS PART OF CRN

0D22889.5

Technical Standards and Safety Authority

Boilers and Pressure Vessels Safety

Program

September 21, 2020 Page 2 of 4

Product Description or Series	Pressure retaining Material	End Connections and Sizes	Nominal Hose Size (in.)	Maximum Pressure at Temperature (psig)		Design Code
				Up to 70°F Temp.	At Maximum Temp.	of Construction
8N Nylon Hose	Smooth Bore Core SAE nonconductive nylon Core Covered By Synthetic fiber reinforcement Hose Cover Polyurethane cover End Connections 316 SS	Swagelok Tube Fitting [SL] 3/4" Female 37° JIC with female swivel nut [AS] 3/4" Male ISO/BSP Tapered (ISO 7) Pipe Threads [MT] 3/4" Male NPT Tapered Pipe Fitting [PM] 3/4"	3/4	2250 @ -40°F to 70°F	1750 @ 200°F	Association
7P Polyethylene Hose	Smooth Bore Core	Swagelok Tube Fitting [SL SM] 1/4"–1"" (6– 25mm) Female 37° JIC with female swivel nut [AS]	1/4	2750 @ -10°F to 70°F	1500 @ 150°F	for Rubber Products Manufacturers (ARPM) Hose Handbook
	Polyethylene Core Covered By		3/8	2250 @ -10°F to 70°F	2250 @ 150°F	
	Synthetic fiber reinforcement Hose Cover	1/4" – 1" Male ISO/BSP Tapered (ISO 7) Pipe Threads	1/2	2000 @ -10°F to 70°F	1750 @ 150°F	
	Polyurethane cover End Connections	[MT] 1/4" – 1" Male NPT Tapered Pipe Fitting [PM] 1/4" – 1"	3/4	1250 @ -10°F to 70°F	900 @ 150°F	
	316 SS		1	1500 @ -10°F to 70°F	1200 @ 150°F	





THIS IS PART OF CRN 0D22889.5


Technical Standards and Safety Authority
Boilers and Pressure Vessels Safety
Program

September 21, 2020 Page 3 of 4

Product Description









THIS IS PART OF CRN 0D22889.5

Technical Standards and Safety Authority

Boilers and Pressure Vessels Safety

Program

September 21, 2020 Page 4 of 4

Product Options:

Additional options and non-pressure boundary alterations that do not affect pressure ratings are within the scope of this approval. Examples of these options include but are not limited to:

- Spring guards (such as S Full length spring guard and S2 Short length spring guard)
- Sleeves (such as F Fire jacket sleeve with metallic tie lock bands; F1 Thermo sleeve with metallic tie lock bands)
- Tags and special markings
- Pipe Thread Sealants
- Special Testing

Quality System

The Swagelok Company quality system complies with the requirements of ISO 9001:2015. The Swagelok Company maintains BSI Certificate of Registration Number FM 01729, which applies to all locations listed on the Certificate.

References

The product catalog does not represent the full scope of the registration but rather details some of the most common options.

Hose Assemblies, Bulk Hose, and End Connections Product Catalog MS-01-180, Rev. U.

THIS IS PART OF CRN 0D22889.5

Technical Standards and Safety Authority

Boilers and Pressure Vessels Safety

Program

Attachment A. Swagelok Manufacturing Locations

This document lists the Swagelok locations where end item or component level manufacturing activities take place.

Swagelok Company	Swagelok Company (Falon 1)		
29500 Solon Road	348 Bishop Road		
Solon, Ohio 44139	Highland Heights, Ohio 44143		
USA	USA		
Swagelok Company (Highland)	Swagelok Company (Falon 2)		
318 Bishop Road	358 Bishop Road		
Highland Heights, Ohio 44143	Highland Heights, Ohio 44143		
USA	USA		
Swagelok Company (OFC)	Swagelok Company (HPF)		
29495 F.A. Lennon Drive	6050 Cochran Road		
Solon, Ohio 44139	Solon, Ohio 44139		
USA	USA		
Swagelok Company (Atlantic)	Swagelok Company (Snow Metal)		
26651 Curtiss Wright Parkway	6060 Cochran Road		
Willoughby Hills, Ohio 44092	Solon, Ohio 44139		
USA	USA		
Swagelok Company (Micro) 26653 Curtiss Wright Parkway Willoughby Hills, Ohio 44092 USA	Swagelok Company (Alfred) 29500 Ambina Drive Solon, Ohio 44139		
Swagelok Hose Services Company (SHSC)	Swagelok Company (Strongsville)		
29900 Solon Industrial Parkway	15400 Foltz Road		
Solon, Ohio 44139	Strongsville, Ohio 44119		
Swagelok (China) Fluid System Technologies Ltd. Changshu Export Process Zone Changshu Economic Development Zone Changshu, Jiangshu 215513 China	Swagelok Limited Ballafletcher Road Tromode IM4 4RA Isle of Man		