

2202 2nd Ave. Regina, SK S4R 1K3 (306)798 7112 Tall Free: (866)530 8500

PH: (306)798-7112 Toll Free: (866)530-8599 FAX: (306)787-9273 Toll Free: (866)760-9255

Email: boilerpermits@tsask.ca Website: www.tsask.ca

Statutory Declaration (Registration of Fittings)

TSK-1008

Joel Feldm	nan			In this space, show facsimile of
Vice Presid	dent, Engineering	manufacturer's logo or trademark as appear on the fitting.		
(must be	(company title, e.g. vice preside in a position of authority in the ma			Swagolo
Swagelok	Company			C wagers
	(name	of manufacturer)	CHALL STONES	
ted at:	Headquarters: 29500 Solo	on Road	Solon, Ohio	44139 USA
	(Plant Address – Apt/Street) eclare that the fittings liste or Act (check one)	ed hereinunder, which	(City,Prov) are subject to the Sas	(Postal Code) katchewan Boiler and Pressur
Comply	with the requirements of		wh	ich specifies the dimensions,
ASSESSED - 0.5 N	ls of construction, pressu	(title of recognized North A	merican Standard)	Single State House
Materia	is of construction, pressu	re / temperature rating:	s and identification ma	iking of the littings, of
				nd are therefore manufactured as supported by the attached
	ich identifies the dimension ratings, and the marking			nperature ratings and the basis
ner declar	e that the manufacturer of	of these fittings is contri	olled by a quality conti	rol program which has been
	following authority, BSI			ing suitable for the manufacture
cu by uic				
aca fitting	5 A		 :	
	s to the stated standard.		 :	hig suitable for the manufacturer hich I seek registration, are
	s to the stated standard.		 :	
egory D. Ho	s to the stated standard.	The fittings covered by	this declaration, for v	which I seek registration, are
egory D. Ho upport of the	s to the stated standard. se his application, the followi	The fittings covered by ing information, calcula	this declaration, for w	which I seek registration, are are attached:
gory D. Ho ipport of the 9001:20	s to the stated standard. se his application, the followi	The fittings covered by ing information, calcula	this declaration, for w	which I seek registration, are
gory D. Ho pport of the 9001:20	s to the stated standard. se his application, the followi	The fittings covered by ing information, calcula	this declaration, for w	which I seek registration, are are attached:
pport of the 9001:20	s to the stated standard. se his application, the followi	The fittings covered by ing information, calcula	this declaration, for w	which I seek registration, are are attached:
pport of the 9001:20 uments	s to the stated standard. se nis application, the followi 015 Certificate, Attac	The fittings covered by ing information, calcula	this declaration, for w	which I seek registration, are are attached:
pport of the poor	s to the stated standard. se nis application, the followi 015 Certificate, Attac	The fittings covered by ing information, calcula	this declaration, for w	which I seek registration, are are attached:
pport of the post	s to the stated standard. se his application, the following the following the state of the state of the standard. The state of the standard o	The fittings covered by ing information, calcula hment A, Attachme	this declaration, for w	which I seek registration, are a are attached: mation and other Support
pport of the poort	s to the stated standard. se nis application, the followi 015 Certificate, Attac ion efore me atday of	The fittings covered by ing information, calcula hment A, Attachme	this declaration, for wations and / or test data	which I seek registration, are a are attached: mation and other Support
pport of the 9001:20 suments Declarate LARED be able to	s to the stated standard. se his application, the following the following the state of the state of the standard. The state of the standard o	The fittings covered by ing information, calcula hment A, Attachme	y this declaration, for wattons and / or test data	which I seek registration, are a are attached: mation and other Support
pport of the 9001:20 cuments Declarate LARED be int name)	ion efore me at day of get a notary sign	The fittings covered by ing information, calcula hment A, Attachme	this declaration, for wations and / or test data ent B, Catalog Information	which I seek registration, are a are attached: mation and other Support
pport of the 9001:20 cuments Declarate LARED be to int name)	ion efore me at day of get a notary sign 0-19 situation - S	The fittings covered by ing information, calcula hment A, Attachme	this declaration, for wations and / or test data ent B, Catalog Information	which I seek registration, are a are attached: mation and other Support
pport of the poor	ion efore me at day of get a notary sign	The fittings covered by ing information, calcula hment A, Attachme	this declaration, for wations and / or test data ent B, Catalog Information	which I seek registration, are a are attached: mation and other Support
pport of the poor	ion efore me at day of get a notary sign 0-19 situation - S	The fittings covered by ing information, calcula hment A, Attachme	this declaration, for wations and / or test data ent B, Catalog Information	which I seek registration, are a are attached: mation and other Support
pport of the 9001:20 cuments Declarate LARED be continuous of COVID cuments	ion efore me at day of get a notary sign 0-19 situation - S mmissioner of Oaths) se to the stated standard. se standard standard. se only	The fittings covered by ing information, calcula hment A, Attachme In the	this declaration, for wations and / or test data ent B, Catalog Information (Signature)	which I seek registration, are a are attached: mation and other Support of
pgory D. Ho pport of the pool	ion efore me at day of get a notary sign 0-19 situation - S mmissioner of Oaths) se to the stated standard. se standard standard. se only	The fittings covered by ing information, calcula hment A, Attachme In the In the eptember 17, 2	this declaration, for wations and / or test data ent B, Catalog Information (Signature)	which I seek registration, are a are attached: mation and other Support
pgory D. Ho pport of the pool of the pool of the cuments Declarate LARED becomes to the pool of the pool of the color of the pool of the	ion efore me at day of get a notary sign 0-19 situation - S mmissioner of Oaths) se Only by knowledge and belief, the e 4.2, and is accepted for re-	ing information, calcula hment A, Attachme In the In the application meets the receipts application in Category	this declaration, for wations and / or test data ent B, Catalog Information (Signature)	which I seek registration, are attached: mation and other Support of
pport of the poor	ion efore me at day of get a notary sign 0-19 situation - Sommissioner of Oaths) se Only by knowledge and belief, the se 4.2, and is accepted for re-	ing information, calcula hment A, Attachme In the	this declaration, for wations and / or test data ent B, Catalog Information B, Catalog Info	which I seek registration, are a are attached: mation and other Support of and Pressure Vessel Safety Act
pport of the poor	ion efore me at day of get a notary sign 0-19 situation - S mmissioner of Oaths) se Only by knowledge and belief, the e 4.2, and is accepted for re	ing information, calcula hment A, Attachme In the	this declaration, for wations and / or test data ent B, Catalog Information (Signature)	which I seek registration, are a are attached: mation and other Support of and Pressure Vessel Safety Act
pgory D. Ho pport of the pool	ion efore me at day of get a notary sign -19 situation - S mmissioner of Oaths) se Only by knowledge and belief, the e 4.2, and is accepted for re Technical Safety Authority of Saskatchewan	The fittings covered by ing information, calcula hment A, Attachme In the	this declaration, for wations and / or test data ent B, Catalog Information B, Catalog Info	which I seek registration, are a are attached: mation and other Support of and Pressure Vessel Safety Act
pgory D. Ho pport of the pool of the pool of the cuments Declarate LARED by the pool of the pool of the cuments of the pool o	ion efore me at day of get a notary sign 0-19 situation - S mmissioner of Oaths) se Only by knowledge and belief, the e 4.2, and is accepted for re Technical Safety Authority of Saskatchevvan OD22736.53	ing information, calcula hment A, Attachme In the	this declaration, for wations and / or test data ent B, Catalog Information B, Catalog Info	a are attached: mation and other Support of and Pressure Vessel Safety Act (Expiry Date - MM DD YYYY)
pegory D. Ho upport of the period of the per	ion efore me at day of get a notary sign 1-19 situation - S mmissioner of Oaths) se Only by knowledge and belief, the e 4.2, and is accepted for re 17echnical Safety Authority of Saskatchewan OD22736.53 11767	The fittings covered by ing information, calcula hment A, Attachme In the	this declaration, for wations and / or test data ent B, Catalog Information B, Catalog Info	which I seek registration, are a are attached: mation and other Support of of and Pressure Vessel Safety Act a (Expiry Date - MM DD YYYY)
Declarate CLARED be COVID Signature of CoVID Signat	ion efore me at day of get a notary sign 1-19 situation - S mmissioner of Oaths) se Only by knowledge and belief, the e 4.2, and is accepted for re Technical Safety Authority of Saskatchewan OD22736.53 11767 Registered	The fittings covered by ing information, calcula hment A, Attachme In the	this declaration, for wations and / or test data ent B, Catalog Information B, Catalog Info	a are attached: mation and other Support of and Pressure Vessel Safety Act (Expiry Date - MM DD YYYY)



Canadian Registration Number Submittal Category D Crimped Swagelok CT Series PTFE Hose

Attachment B: Scope of Registration for Crimped Swagelok CT Series PTFE **Hose Assemblies (Category D)**

This document represents the scope of the Swagelok Coreflex (CT series) hose and crimped assemblies covered by this submission for CRN approval. These products have been evaluated in accordance with the Association for Rubber Products Manufacturers (ARPM) Hose Handbook.

Summary Table

СТ	Maximum Pressure		Pressure Full Comments			
Series Hose Size	At Minimum Temp.	Room temperature (0°-100°F)	At Maximum Temp.	Retaining Material	End Connections and Sizes	Design Code of Construction
1/2"	1500 psig @ -65°F	1500 psig	1500 psig @ 450°F		Swagelok Tube Fitting [SL SM] 1/8" – 2" (3-50mm)	
3/4"	1100 psig @ -65°F	1110 psig	900 psig @ 450°F	<u>Core</u> Helical Convoluted PTFE	Male & Female NPT Tapered Pipe Fitting [PM PF] 1/8" - 2" Female & Male VCO O-ring Face seal Fitting [VF, VM] 1/8" - 2"	
1"	750 psig @ -65°F	750 psig	490 psig @ 450°F	Braid 304 SS Braid Reinforcement End Connections	Male & Female ISO/BSP Tapered (ISO 7) Pipe Threads [MT FT] 1/4" – 1" Male 37° JIC & Female 37° JIC with female swivel nut [AN AS] 1/4" – 2"	Association for Rubber Products Manufacturers (ARPM) Hose Handbook
1 1/2"	675 psig @ -20°F	700 psig	330 psig @340°F	316 SS Crimp on Collar 300 series SS	Tube Butt Welds [TB] 1/2" – 1" Female & Male VCR Metal Gasket Face Seal [RF, RM] 1/8" – 2" Female ISO/BSP Parallel	
2"	525 psig @ -20°F	525 psig	485 psig @340°F		Threads (ISO 228) [FS] 1/4" – 1" Technical Safety Authority of Saskatchewan	
				3)	OD22736.53	-

Expiry Date:

October 14, 2030

Codes & Standards Compliance Office



Canadian Registration Number Submittal
Category D Crimped Swagelok CT Series PTFE Hose


September 1, 2020 Page 2 of 2

Product Description

Swagelok's CT series hose is helical convoluted PTFE, 300 series stainless steel braided hose. All CT series hoses undergo production testing in accordance with ASTM D380 "Test Methods for Rubber Hose" (version current to hose production date).

Configurations

All end connection inserts are crimped onto the hose using crimp collars.



Product Options:

Additional options that do not affect pressure and/or temperature ratings may be made available and are within the scope of this approval. Examples of these would include, but not limited to, the following:

Cover Options

- Armor guard Interlocking, flexible 302 stainless steel.
- Fire jacket Woven fiberglass coated with specially compounded aerospace-grade silicone rubber
- Spiral guard Helical HDPE plastic

Tag and Marking Options

- Mat tag Polyester tag with customer-specified text
- Perma tag (JT only)- Polyester tag encapsulated in platinum-cured silicone with customerspecified text
- Lanyard tag Stainless steel tag with customer-specified text

End Connection Seals or Sealants Options

- VCO O-rings
- Pipe Thread ends thread sealant

Quality System

The Swagelok Company quality system complies with the requirements of ISO 9001:2015. The Swagelok Company maintains BSI Certificate of Registration Number FM 01729, which applies to all locations listed on the Certificate.

References

The product catalog does not represent the full scope of the registration but rather details some of the most common options. Hose Assemblies, Bulk Hose, and End Connections Product Catalog MS-01-180.

Attachment A. Swagelok Manufacturing Locations

This document lists the Swagelok locations where end item or component level manufacturing activities take place.

Swagelok Company	Swagelok Company (Falon 1)
29500 Solon Road	348 Bishop Road
Solon, Ohio 44139	Highland Heights, Ohio 44143
USA	USA
Swagelok Company (Highland)	Swagelok Company (Falon 2)
318 Bishop Road	358 Bishop Road
Highland Heights, Ohio 44143	Highland Heights, Ohio 44143
USA	USA
Swagelok Company (OFC)	Swagelok Company (HPF)
29495 F.A. Lennon Drive	6050 Cochran Road
Solon, Ohio 44139	Solon, Ohio 44139
USA	USA
Swagelok Company (Atlantic)	Swagelok Company (Snow Metal)
26651 Curtiss Wright Parkway	6060 Cochran Road
Willoughby Hills, Ohio 44092	Solon, Ohio 44139
USA	USA
Swagelok Company (Micro) 26653 Curtiss Wright Parkway Willoughby Hills, Ohio 44092 USA	Swagelok Company (Alfred) 29500 Ambina Drive Solon, Ohio 44139
Swagelok Hose Services Company (SHSC)	Swagelok Company (Strongsville)
29900 Solon Industrial Parkway	15400 Foltz Road
Solon, Ohio 44139	Strongsville, Ohio 44119
Swagelok (China) Fluid System Technologies Ltd. Changshu Export Process Zone Changshu Economic Development Zone Changshu, Jiangshu 215513 China	Swagelok Limited Ballafletcher Road Tromode IM4 4RA Isle of Man

