Technical Safety Authority of Saskatchewan

2202 2nd Ave. Regina, SK S4R 1K3 PH: (306)798-7112 Toll Free: (866)530-8599 FAX: (306)787-9273 Toll Free: (866)760-9255 Email: <u>boilerpermits@tsask.ca</u> Website: <u>www.tsask.ca</u>

Statutory Declaration (Registration of Fittings)

TSK-1008

Ι.	Declarat	ion Information			
I,	Joel Feldr	man			In this space, show facsimile of
	Vice Pres	ident, Engineering			manufacturer's logo or trademark as it will appear on the fitting.
		• •	president, plant manager, cl		Suggelal
of	Swagelok	. ,		ie the fitting is produced)	Owadelok
01:	Owagelok		(name of manufacturer)		
loc	ated at:	Headquarters: 29500		Solon, Ohio	44139 USA
Ι.		(Plant Address – Apt/Str	•	(City,Prov)	(Postal Code)
		y Act (check one)	s listed hereinunder,	which are subject to the Sas	katchewan Boiler and Pressure
C	Comply	y with the requiremer	its of	wh	ich specifies the dimensions,
	Materia	als of construction, pr		North American Standard) ratings and identification ma	rking of the fittings, or
	Are no	t covered by the prov	isions of a recognize	d North American standard a	nd are therefore manufactured
			_		as supported by the attached
	data w	hich identifies the din	nensions, materials o	f construction, pressure / tem	perature ratings and the basis
	for suc	h ratings, and the ma	rking of the fittings fo	r identification.	
l fu	rther decla	are that the manufacto	urer of these fittings is	s controlled by a quality cont	rol program which has been
		e following authority,			ing suitable for the manufacturer
	hese fitting egory D. He		ard. The fittings cove	ered by this declaration, for w	hich I seek registration, are
			-	calculations and / or test data	
			ttachment A, Atta	chment B, Catalog Infor	mation and other Support
Do	cuments	5			
II.	Declara	tion			
DE		pefore me at	In	the	of
this		day of		DocuSigned by:	
			• 4	II' fal ()	1/-
(print name)	get a notary s	•	al due	
to	COVII	D-19 situation			
(\$	Signature of C	Commissioner of Oaths)			
_ -	Office L	Jse Only			
			of, the application meets	the requirements of the Boiler	and Pressure Vessel Safety Act and
CSA	A B51, Clau	se 4.2, and is accepted	for registration in Cate	gory	
		Technical Safatu Authority		Date Registered – MM DD YYYY)	(Expiry Date – MM DD YYYY)
		Safety Authority of Saskatchevvan		For the Administrator / Chief Inspector	
	Registration No	OD22747.53 11768			
		Registered	***As Noted***		
	Uste 1	November 16, 2020			TSK-1008
	Expline Date:	October 16, 2030			Rev. 10/2012



Attachment B: Scope of Registration for Crimped Swagelok UT series PFA Hose Assemblies (Category D)

This document represents the scope of the Swagelok Coreflex UT series hose and crimped assemblies covered by this submission for CRN approval. These products have been evaluated in accordance with the Association for Rubber Products Manufacturers (ARPM) Hose Handbook. U-Series hose assemblies have 2 possibilities for crimp collars; current standard and "Megafang" designs. Please see tables 1 and 2 below, and the "Configurations" section for description of differences between the two designs.

Summary Table

			Table 1 –	Current Crimpe	ed Design	
UT		num Pressure		Pressure		
series Hose Size	At Minimum Temp. (–65°F)	Room temperature (0° – 100°F)	At Maximum Temp. (400°F)	Retaining Material	End Connections and Sizes	Design Code of Construction
1/2"	200	300	160		Swagelok Tube Fitting [SL, SM] 1/8" – 2" (3-50mm) Male & Female NPT Tapered	
	200			<u>Core</u> Smooth bore PFA	Pipe Fitting [PM, PF] 1/8" – 2" Male & Female ISO/BSP Tapered (ISO 7) Pipe Threads [MT, FT] 1/4" – 1"	
3/4"	115	300	180	Braid 302 SS Braid Reinforcement <u>Cover</u> Silicone cover <u>End</u> <u>Connections</u>	Male 37° JIC & Female 37° JIC with female swivel nut [AN, AS] 1/4" – 2" Tube Butt Welds [TB] 1/2"– 1" Female and Male VCO O-ring Face seal Fitting [VF, VM]	Association for Rubber Products Manufacturers (ARPM) Hose Handbook
1"	250	250	175	316 SS Crimp on Collar 300 series SS	1/8" - 2" Female and Male VCR Metal Gasket Face seal Fitting [RF, RM] 1/8" – 2" Female ISO/BSP Parallel Threads (ISO 228) [FS] 1/4" – 1"	

	Safety Authority of Saskatchewan		
Registration No.	OD22747.53 11768		
File No.			
	Registered		
Date:	November 16, 2020		
Expiry Date:	October 16, 2030		



			Table 2	2 –"Megafang"	Design	
UT		num Pressure		Pressure		
series Hose Size	At Minimum Temp. (–65°F)	Room temperature (0° – 100°F)	At Maximum Temp. (400°F)	Retaining Material	End Connections and Sizes	Design Code of Construction
1/2"	200	300	160		Swagelok Tube Fitting [SL, SM] 1/8" – 2" (3-50mm) Male & Female NPT Tapered Pipe Fitting [PM, PF] 1/8" – 2"	
3/4"	115	300	195	<u>Core</u> Smooth bore PFA <u>Braid</u> 302 SS Braid	Male & Female ISO/BSP Tapered (ISO 7) Pipe Threads [MT, FT] 1/4" – 1"	
1"	250	250	175	Reinforcement <u>Cover</u> Silicone cover	Male 37° JIC & Female 37° JIC with female swivel nut [AN, AS] 1/4" – 2" Tube Butt Welds [TB] 1/2"– 1"	Association for Rubber Products Manufacturers (ARPM) Hose
1 1⁄2"	200	200	200	End Connections 316 SS Crimp on Collar	Female and Male VCO O-ring Face seal Fitting [VF, VM] 1/8" - 2" Female and Male VCR Metal Gasket Face seal Fitting [RF,	Handbook
2"	150	150	150	300 series SS	RM] 1/8" – 2" Female ISO/BSP Parallel Threads (ISO 228) [FS] 1/4" – 1"	

Product Description

The Swagelok UT series is standard Swagelok virgin PFA-lined hose with a silicone reinforcement layer, 302 Stainless Steel reinforcement, and a silicone cover. All UT series hoses undergo production testing in accordance with ASTM D380 "Test Methods for Rubber Hose" (version current to hose production date).



September 21, 2020 Page 3 of 4

Configurations

All end connection inserts are crimped onto the hose using crimp collars. The U-Series hose crimp collars have two designs: the standard crimp collar available in 1/2", 3/4" and 1" sizes, and an upgraded design named "Megafang" which has shown more robust performance (1/2", 3/4" and 1" sizes noted in Table 2 to be widely available in 2021). Assemblies for both crimp collar designs noted above follow the same method of assembly and materials of construction. See photos below for visual differences between standard crimp collars and Megafang crimp collars.



Figure 1 - Standard Crimp Collar



Figure 2 - Megafang Crimp Collar



September 21, 2020 Page 4 of 4

Product Options:

Additional options that do not affect pressure and/or temperature ratings may be made available and are within the scope of this approval. Examples of these would include, but not limited to, the following:

Cover Options

- Armor guard Interlocking, flexible 302 stainless steel.
- Fire jacket Woven fiberglass coated with specially compounded aerospace-grade silicone rubber
- Spiral guard Helical HDPE plastic

Tag and Marking Options

- Mat tag Polyester tag with customer-specified text
- Lanyard tag Stainless steel tag with customer-specified text

End Connection Seals or Sealants Options

- VCO O-rings
- Pipe Thread ends thread sealant

Quality System

The Swagelok Company quality system complies with the requirements of ISO 9001:2015. The Swagelok Company maintains BSI Certificate of Registration Number FM 01729, which applies to all locations listed on the Certificate.

References

The product catalog does not represent the full scope of the registration but rather details some of the most common options. Hose Assemblies, Bulk Hose, and End Connections Product Catalog MS-01-180.

Attachment A. Swagelok Manufacturing Locations

This document lists the Swagelok locations where end item or component level manufacturing activities take place.

Swagelok Company	Swagelok Company (Falon 1)
29500 Solon Road	348 Bishop Road
Solon, Ohio 44139	Highland Heights, Ohio 44143
USA	USA
Swagelok Company (Highland)	Swagelok Company (Falon 2)
318 Bishop Road	358 Bishop Road
Highland Heights, Ohio 44143	Highland Heights, Ohio 44143
USA	USA
Swagelok Company (OFC)	Swagelok Company (HPF)
29495 F.A. Lennon Drive	6050 Cochran Road
Solon, Ohio 44139	Solon, Ohio 44139
USA	USA
Swagelok Company (Atlantic)	Swagelok Company (Snow Metal)
26651 Curtiss Wright Parkway	6060 Cochran Road
Willoughby Hills, Ohio 44092	Solon, Ohio 44139
USA	USA
Swagelok Company (Micro) 26653 Curtiss Wright Parkway Willoughby Hills, Ohio 44092 USA	Swagelok Company (Alfred) 29500 Ambina Drive Solon, Ohio 44139
Swagelok Hose Services Company (SHSC)	Swagelok Company (Strongsville)
29900 Solon Industrial Parkway	15400 Foltz Road
Solon, Ohio 44139	Strongsville, Ohio 44119
Swagelok (China) Fluid System Technologies Ltd.	Swagelok Limited
Changshu Export Process Zone	Ballafletcher Road
Changshu Economic Development Zone	Tromode
Changshu, Jiangshu	IM4 4RA
215513 China	Isle of Man

1000	of Saskatchewan		
Registration No	OD22747.53 11768		
File No			
	Registered		
Date:	November 16, 2020		
Expiry Date:	October 16, 2030		