RM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

	UNIFO
	NEW BRUNSWICK NUNAVUT
1	MANUFACTURERS
Ì	MANUFACTURERS
	PLANT LOCATIONS
	CATEGOR
	A Pipe fittings, inclu B Flanges: all flang C Valves: all line va D Expansion joints,. E Strainers, filters, s F Measuring devices pressure transmitt

NOVA SCOTIA YUKON

PRINCE EDWARD ISLAND

NEWFOUNDLAND AND LABRADOR

B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs N Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 □ Class 2 □ Class 3 □, (Meeting AECB or ASME requirements) SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	ASME B31.1 for unlisted components, ASME B31.3 for unlisted components, asm as a components of the unlisted components.
MANUFACTURERS ADDRESS: 29500 Solon Road, Solon, Ohio 44139 USA PLANT LOCATIONS: Headquarters: 29500 Solon Road, Solon, Ohio 44139 USA (See Attack CATEGORY OF FITTINGS TO BE REGISTERED, CIRCLE ONE CATEGORY ONLY A Pipe fittings, including couplings, tees, elbows, Ys. plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 □ Class 2 □ Class 3 □, (Meeting AECB or ASME requirements) SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	ASME B31.1 for unlisted components, ASME B31.3 for unlisted components, asm as a components unlisted components.
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY A Pipe fittings, including couplings, tees, elbows, Ys. plugs, unions, pipe caps, or reducers B Flanges: all finanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs N Nuclear components: Class 1 □ Class 2 □ Class 3 □, (Meeting AECB or ASME requirements) SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	ASME B31.1 for unlisted components, ASME B31.3 for unlisted components, asm as a components of the unlisted components.
A Pipe fittings, including couplings, tees, elbows, Ys. plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs N Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1	ASME B31.1 for unlisted components, ASME B31.3 for unlisted components, asm as a components of the unlisted components.
A Pipe fittings, including couplings, tees, elbows, Ys. plugs, unions, pipe caps, or reducers B Flanges: all fine valves C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs N Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 □ Class 2 □ Class 3 □, (Meeting AECB or ASME requirements) SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	ASME B31.1 for unlisted components, ASME B31.3 for unlisted components
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
RADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
CO MACINIBILITY SEC	TYPE OF CONSTRUCTION FORGED (I) WELDED (I) WROUGHT (I) FAST (I) OTHER (I) DESCRIBE OTHER
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGIS ISO 9001:2015 Certificate. Attachment A. Attachment B. Catalog Information and other Support D	STERED:
my knowledge represents the product for which registration is sought. The dimensions, materials of emperature ratings, and identification markings are in accordance with the herein named standards manufacture of these fittings is regulated by a Quality Control Program which extends to each plant.	construction, pressure I further declare that the where fabrication occurs in whole
declaration conscientiously believing it to be true, and knowing that it is of the same force and effect	urpose and I make this solemn as if made under oath.
Declared before me at Solon, STATE OF ONIO US	IEFFREY C. TRUMBULL Notary Public State of Onlog Recorded in Lake County Fred
This space for Regulatory Authority use	
This registration must be revalidated after ten (10) years from the date of accept ten (10) year	
FID#: 12.14 COMMUNITIES, LAND & ENVI	
up to 100F; DT 1000F. 15 plant locations. Notes; CRN expires May 12th, 2033 (DGallant) 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years. C.R.N. DATE: DATE: INSPECTION SERVICES SK BOILER/PRESSURE VESSEL	4

Attachment B: Scope of CRN Registration for Swagelok TTW Series Thermowell Tees (Category A)

Date: May 8, 2023

Page 1 of 2


This document represents the scope of the TTW Series Thermowell Tees covered by this submission for CRN approval. The products have been evaluated in accordance with ASME B31.1-2020 for unlisted components and ASME B31.3-2020 for unlisted components.

Summary Table

	Main Pressure Bearing Component	Main Pressure Bearing Material (Standard)	Port Connections and Sizes	Maximum Rated Pressure (psig)			
Product Description or Series				Up to 100°F	At 1000°F per ASME B31.1	At 1000°F per ASME B31.3	Design Code of Construction
TTW Series Thermowell Tees (Straight and Angle Pattern)	Body	F316 SS (ASTM A182) and S31600/S3 1603 (ASTM A479)	Swagelok Tube Fitting 3/8", 1/2", 5/8", 12MM, 16MM Female ½" NPT seal welded	4900	2760	3720	
			Swagelok Tube Fitting 3/4", 1", 18MM Female ³ / ₄ " NPT seal welded	4600	2590	3490	ASME B31.1 (Unlisted Components) and ASME B31.3 (Unlisted Components)
			Female NPT 1/2" Male NPT 1/2" Female ½" NPT seal welded	4400	2480	3360	
			Female NPT 3/4" Male NPT 3/4" Female 3/4" NPT seal welded	4000	2260	3060	

Date: May 8, 2023 Page 2 of 2

Product Illustration



Straight Pattern

Angle Pattern

Typical Product Characteristics

Additional options that do not affect pressure-temperature ratings may be made available within the scope of this registration.

Quality System

The Swagelok Company quality system complies with the requirements of BS EN ISO 9001:2015. The Swagelok Company maintains BSI Certificate of Registration Number FM 01729, which applies to all locations listed on the Certificate.

References

Temperature Measurement Devices TTW Series Thermowell Tees Catalog MS-02-353, Rev F