UNIFORI	VI STATUTORY DECLA	ARATION FORM FOR T	HE REGISTRAT	TON OF FITTING DESIGNS			
New Brunswick Nunavut	Nova Scotia Yukon	Prince Edward Isla Northwest Territor		ewfoundland and Labrador			
Manufacturers Na	me:Swagelok Company						
	dress: 29500 Solon Road, So	olon, Ohio 44139					
Plant Locations: He	adquarers: 29500 Solon Road, So	ilon, Ohio 44139 USA (See Attachme	ent A)				
A Pipe fittings, includir B Flanges: all flanges C Valves: all line valve	ng couplings, tees, elbows, Ys	ered. Circle one Categor s, plugs, unions, pipe caps, or	y only reducers	Title of the Standard of Construction			
D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure			ls. or pressure	Rubber Products Manufactureres (ARPM)			
G Certified capacity-rat boilers, pressure ves	ted pressure relief devices accessels, piping and fusible plugs	ceptable as primary over press	TOOL STATE WAS EST STATEMENT.	Hose Handbook			
N Nuclear components	: Class 1 🗆 Class 2 🗆 Class	ass 3 🗆 , (Meeting CNSC or A	SME requirements)				
Show Manufacturer	rs Name, Trademark, or I	Logo as it will appear on t	he product	Type of Construction Forged			
,				Nylon and Polyethylene Core			
List of supporting of	locumentation and ident	tification of the actual Iter	ns to be registere	ormation, and other support			
,							
Declaration:	(see note 3) 6	mployed by Swagelok Co	mpany ar	nd being the person having full authority			
my knowledge represe ratings, and identificati fittings is regulated by verified by ^{BSI}	he quality of the end produ ents the product for which i ion markings are in accord a Quality Control Program as	uct do solemnly declare tha registration is sought. The lance with the herein name which extends to each pla	t the information c dimensions, mate d standards. I furt nt where fabricationse and I make th	ontained in this form is true to the best of rials of construction, pressure temperatur her declare that the manufacture of these on occurs in whole or in part and has been his solemn declaration conscientionsly.			
Signature of Declarer:	// /83	u/1/					
Declared before me at	//		SET C. TR	JEFFREY C. TRUMBUIL			
This 31st day of May AD 2024			u CC	State of Onio			
Commissioner of Oath Or Notary Public: (sign	0 11	200	3	PUNSWICKS			
	(Affix Official seal to the	0 ,		JUSTICE PUBLIC SAFETY			
	This registration mus			R PRESSURE VESSEL ACT			
CRN: 0D22889.5	Add1	t be revalidated after ten (10)	R	ECICTRATION ONLY			
FID#: 1214			CRN	DD22889.57Add1			
Notes:			6	7 0			
2. Each Category shall b	gistered in the name of the Manuf be supported with two Statutory Di orting documentation.	CHIEF BOILER INSPECTOR					
The Declaration shall responsibility for the q	be made by the person having ful uality of the end product.		DAT	11/28/24			
	ums shall be resubmitted for validation ope of registration June ope of registration June (Int)		□BLRs	Sect 1.0 - Fittings Rev.2			

FITTINGS | NUCLEAR COMPONENTS



Attachment B: Scope of Registration for Swagelok Nylon Series (7N, 7R, 8N & 8R) and Polyethylene Series (7P) Hose Assemblies (Category D)

This document represents the scope of Swagelok Nylon Series (7N, 7R, 8N, 8R) and Polyethylene Series (7P) Hose Assemblies covered by this submission for CRN approval. These products have been evaluated in accordance with the Association for Rubber Products Manufacturers (ARPM) Hose Handbook.

Summary Table

Product Description	Pressure retaining	End Connections and	Nominal Hose		n Pressure at ature (psig)	Design Code of
or Series	Material	Sizes	Size (in.)	70°F Temp.	At Maximum Temp. (200°F)	Construction
7N Nylon Hose Smooth Bore Core SAE nonconductive nylon (7N) Core Covered By Synthetic fiber reinforcement Hose Cover Polyurethane cover End Connections 316 SS	SAE nonconductive	Swagelok Tube Fitting [SL SM] 1/4" – 1/2" (6-12mm) Swagelok Tube Adapter [TA TM] 1/4" – 1/2" (6-	1/4	2750	1750	
	Core Covered By Synthetic fiber	12mm) Female 37° JIC with female swivel nut [AN, AS] 1/4" – 1/2"	3/8	2250	1750	
	Male ISO/BSP Tapered (ISO 7) Pipe Threads [MT] 1/4" – 1/2" Male NPT Tapered Pipe	1/2	2000	1500		
		Fitting [PM] 1/4" – 1/2" Swagelok Tube Fitting [SL				
7R Nylon Hose	Smooth Bore Core	SM] 1/4" – 1/2" (6-12mm) Swagelok Tube Adapter	1/4	1750	2000	Association n for Rubber
	Nylon (7R) Core Covered By Synthetic fiber reinforcement	[TA TM] 1/4" – 1/2" (6- 12mm) Female 37° JIC with female swivel nut [AN, AS] 1/4" – 1/2"	3/8	2250	1750	Products Manufacturers (ARPM) Hose Handbook
	Hose Cover Polyurethane cover End Connections 316 SS		1/2	2000	1500	
8R Nylon Hose	Smooth Bore Core Nylon Blend Thermoplastic	Swagelok Tube Fitting [SL SM] 1/4" – 1" (6-25mm)	1/4	5000	3250	
	Core Covered By Synthetic fiber	Swagelok Tube Adapter [TA TM] 1/4" – 1" (6-	3/8	4000	3250	
	reinforcement	25mm)	1/2	3500	2750	




June 4, 2024 Page 2 of 4


Hose Cover Polyurethane cover	Female 37° JIC with female swivel nut [AN, AS]	3/4	2250	1500	
End Connections 316 SS	1/4" – 1" Male ISO/BSP Tapered (ISO 7) Pipe Threads [MT] 1/4" – 1" Male NPT Tapered Pipe Fitting [PM] 1/4" – 1"	1	2000	1125	


Product Description or Series	Pressure retaining Material	End Connections and Sizes	Nominal Hose Size (in.)	Maximum Pressure at Temperature (psig)		Design Code
				Up to 70°F Temp.	At Maximum Temp.	of Construction
	Smooth Bore Core SAE nonconductive nylon	Swagelok Tube Fitting [SL] 3/4"				
		Swagelok Tube Adapter [TA] 3/4"		2250 @ -40°F to	1750 @ 200°F	Association for Rubber Products Manufacturers (ARPM) Hose
8N Nylon Hose	Core Covered By Synthetic fiber reinforcement	Female 37° JIC with female swivel nut [AS] 3/4"	3/4			
	Hose Cover Polyurethane cover	Male ISO/BSP Tapered (ISO 7) Pipe Threads	70°F	70°F		
	End Connections 316 SS	[MT] 3/4" Male NPT Tapered Pipe				
		Fitting [PM] 3/4"				
7P Polyethylene Hose	Smooth Bore Core	Swagelok Tube Fitting [SL SM] 1/4"-1"" (6-25mm)	1/4	2750 @ -10°F to 70°F	1500 @ 150°F	
	Polyethylene Core Covered By Synthetic fiber reinforcement Hose Cover Polyurethane cover End Connections	Swagelok Tube Adapter [TA TM] 1/4" – 1" (6-25mm)	3/8	2250 @ -10°F to 70°F	2250 @ 150°F	Handbook
		Female 37° JIC with female swivel nut [AS] 1/4" – 1"	1/2	2000 @ -10°F to 70°F	1750 @ 150°F	
		Male ISO/BSP Tapered (ISO 7) Pipe Threads [MT] 1/4" – 1"	3/4	1250 @ -10°F to 70°F	900 @ 150°F	
	316 SS	Male NPT Tapered Pipe Fitting [PM] 1/4" – 1"	1	1500 @ -10°F to 70°F	1200 @ 150°F	



Product Description









June 4, 2024 Page 4 of 4

Product Options:

Additional options and non-pressure boundary alterations that do not affect pressure ratings are within the scope of this approval. Examples of these options include but are not limited to:

- Spring guards (such as S Full length spring guard and S2 Short length spring guard)
- Sleeves (such as F Fire jacket sleeve with metallic tie lock bands; F1 Thermo sleeve with metallic tie lock bands)
- Tags and special markings
- Pipe Thread Sealants
- Special Testing

Quality System

The Swagelok Company quality system complies with the requirements of ISO 9001:2015. The Swagelok Company maintains BSI Certificate of Registration Number FM 01729, which applies to all locations listed on the Certificate.

References

The product catalog does not represent the full scope of the registration but rather details some of the most common options.

• Hose Assemblies, Bulk Hose, and End Connections Product Catalog MS-01-180, Rev. U.

Attachment A. Swagelok Manufacturing Locations

This document lists the Swagelok locations where end item or component level manufacturing activities take place.

Swagelok Company 29500 Solon Road Solon, Ohio 44139 USA	Swagelok Company (HPF) 6050 Cochran Road Solon, Ohio 44139 USA
Swagelok Company (OFC) 29495 F.A. Lennon Drive Solon, Ohio 44139 USA	Swagelok Company (Snow Metal) 6060 Cochran Road Solon, Ohio 44139 USA
Swagelok Precision Machining Services 1924 East 337th Street Eastlake, OH 44095 USA	Swagelok (China) Fluid System Technologies Ltd. Changshu Export Process Zone Changshu Economic Development Zone Changshu, Jiangshu 215513 China
Swagelok Company (Highland) 318 Bishop Road Highland Heights, Ohio 44143 USA	Swagelok Company (Strongsville) 15400 Foltz Road Strongsville, Ohio 44119
Swagelok Company (Atlantic) 26651 Curtiss Wright Parkway Willoughby Hills, Ohio 44092 USA	Swagelok Company (Alfred) 29500 Ambina Drive Solon, Ohio 44139
Swagelok Company (Micro) 26653 Curtiss Wright Parkway Willoughby Hills, Ohio 44092 USA	Swagelok Hose Services Company (SHSC) 29900 Solon Industrial Parkway Solon, Ohio 44139
Swagelok Company (Falon 1) 348 Bishop Road Highland Heights, Ohio 44143 USA	Swagelok Limited Ballafletcher Road Tromode IM4 4RA Isle of Man
Swagelok Company (Falon 2) 358 Bishop Road Highland Heights, Ohio 44143 USA	Swagelok Company (Valley City) 5370 Wegman Drive Valley City, Ohio 44280 USA

Note: Hose assembly of end connections at Swagelok Authorized Sales and Services Centers is under scope of this CRN.