NEW BRUNSWICK NUNAVUT NOVA SCOTIA YUKON

PRINCE EDWARD ISLAND NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Swagelok Company MANUFACTURERS ADDRESS: 29500 Solon Road, Solon,		
	Ohia 44120 HEA	
PLANT LOCATIONS: Headquarters: 29500 Solon Road, S	olio Obla (4120 USA	
CATEGORY OF FITTINGS TO BE REGISTERED, CIRC	E OUE CATEGORY ONLY	achment A)
A Pipe fittings, including couplings, lees, elbows, Ys, plugs, unlons, B Flanges: all flanges C Valves: all fine valves D Expansion joints, flexible connections, and hose assemblies: all the Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sigh pressure transmitters G Cartified capacity-mind pressure relief devices acceptable as printipoliters, pressure vessels, ploing and fusible plugs H Pressure retaining components that do not fall into one of the about Niuclear components: Class 1 □ Class 2 □ Class 3 □, (Meeting	pipe caps, or reducers ypes t glasses, levels, or eary over pressure protection on	ASME B31.1 and ASME B31.3 (for unlisted components)
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT	WILL APPEAD ON THE DECOME	Well As at the last
Swagelok		TYPE OF CONTINUCTION FORGED D WELDED D WROUGHT](CAST D OTHER D DESCRIBE OTHER
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION	OF THE ACTUAL ITEMS TO BE REC	SISTERED:
ECLARATION:		
Declaration: David H. Peace Desponsibility for the quality of the end product do solomnity decing knowledge represents the product for which registration is a semperature ratings, and identification markings are in eccordan anufacture of these littings is regulated by a Quality Control Prin part and has been verified by BSI eclaration conscientiously believing it to be true and knowing to gnature of Declarer:	lare that the information contained ought. The dimensions, materials ice with the herein named standard rogram which extends to each plan	of construction, pressure ds. I further declare that the d where fabrication occurs in whole
David H. Peace (see note a) employed by esponsibility for the quality of the end product do solemnly decity knowledge represents the product for which registration is a emperature ratings, and identification markings are in eccordant anufacture of these littings is regulated by a Quality Control Prin part and has been verified by BSI ecleration conscientiously believing it to be true and knowing to greature of Declarer: active despression of Declarer: active despression of Oaths Notary Public: (sign)	lare that the information contained ought. The dimensions, materials ice with the herein named standard rogram which extends to each plan	in this form is true and to the best of of construction, pressure ds. I further declare that the state that the surpose and I make this solemn ct as if made under oath.
David H. Peace (see note 3) employed by esponsibility for the quality of the end product do solemnly decing knowledge represents the product for which registration is a emperature ratings, and identification markings are in accordant anufacture of these littings is regulated by a Quality Control Print part and has been verified by BSI eclaration conscientiously believing it to be true and knowing to greature of Declarar: Solon. Ohi D Declaration and AD 2018 Demmissioner of Oaths Notary Public: (sign) (Affix Official seal to the right)	lare that the information contained ought. The dimensions, materials now with the herein named standard rogram which extends to each plan as being suitable for that this of the same force and effect in the same force an	in this form is true and to the best of construction, pressure ds. I further declare that the state that the surpose and I make this solemn ct as if made under oath.



Canadian Registration Number Submittal #CH-CHECK-2018 Category C: Swagelok CH Series Check Valves Revised Date: April 24, 2018 Page 1 of 2

Attachment B. Scope of Registration for Swagelok CH Series Check Valves (Category C)

Product Scope

This document represents the scope of Swagelok® CH Series Check Valves covered by this submission for CRN approval. These products were designed and evaluated in accordance with ASME B31.1 for unlisted components and ASME B31.3 for unlisted components.

Summary Table

Product Series Bearing Component	Main Pressure Bearing Material (Standard)	Port Connections and Sizes	Maximum Allowable Working Pressure (psig)		Design Code of	
			@100°F	@Max. Temp	Construction	
CHA BOOK	316 SS (ASTM A479)	Tube Fitting 1/8", 1/4", 6MM Female NPT 1/4" Male NPT 1/4" Female ISO 1/4" Male ISO 1/4" Male VCO fitting 1/4" Male VCR fitting 1/4"	6000 psig	4280 psig @ 400°F		
		AN (Army/Navy) fitting 1/4"	5000 psig	3575 psig @ 400°F		
CH4	Body	Alloy 400/405 (UNS N04400/ N04405) (ASTM B164)	Tube Fitting 1/8", 1/4", 6MM	5000 psig	5000 psig @ 300°F	
CH8 Body		Tube Fitting 3/8", 1/2", 8MM, 10MM, 12MM Male NPT 3/8", 1/2" Male ISO 1/2" Male VCO Fitting 1/2"	6000 psig	4280 psig @ 400°F		
		316 SS (ASTM A479)	Female NPT 3/8" IS IS PART OF	5300 psig	3789 psig @ 400°F	ASME B31.1 (Unlisted Components)
	Body		Female ISO 1/2 N 0C 20294. 5 Female NPT 1/2"	4900 psig	3503 psig @ 400°F	
		Female SAE/MS 1/2" Pressure Vossel	4568 psig	4280 psig @ 400°F	and ASME B31.3 (Unlisted Components)	
		Male VCR fitting 1/2"	4300 psig	3074 psig @ 400°F		
CH8 Body		Tube Fitting 3/8", 8MM	5000 psig	5000 psig @ 300°F		
		Alloy 400/405 (UNS N04400/	Tube Fitting, 10MM	5000 psig	4215 psig @ 300°F	
	N04405) (ASTM B164)	Tube Fitting 1/2"	4400 psig	3652 psig @ 300°F		
		Tube Fitting 12MM	4200 psig	3493 psig @ 300°F		
CH16 Body		316 SS (ASTM A479)	Tube Fitting 3/4" Male NPT 3/4", 1" Male ISO 3/4", 1" Male VCO Fitting 3/4",	5000 psig	2500!-	
	Body		Tube Fitting, 22MM	4900 psig	3560 psig @ 400°F	
			Tube Fitting 1"	4700 psig		
			Tube Fitting 25MM	4640 psig		



Canadian Registration Number Submittal #CH-CHECK-2018 Category C: Swagelok CH Series Check Valves Revised Date: April 24, 2018 Page 2 of 2

Product Pressu Series Bearin	Main Pressure	re Bearing g Material	Port Connections and Sizes	Maximum Allowable Working Pressure (psig)		Design Code of
	Component			@100°F	@Max. Temp	Construction
CH16	Body	316 SS (ASTM A479)	Male VCO Fitting, 1"	4700 psig	3120 psig @ 400°F	ASME B31.1 (Unlisted Components) and ASME B31.3 (Unlisted Components)
			Female NPT 3/4" Female ISO 3/4"	4600 psig	3289 psig @ 400°F	
			Female NPT 1" Female ISO 1"	4400 psig	3146 psig @ 400°F	
			Male VCR fitting 3/4"	3700 psig	2645 psig @ 400°F	



Typical Product Characteristics:

Additional options that do not affect pressure-temperature ratings may be made available within the scope of this registration. Examples of these would include, but not be limited to, poppet springs, lubricants, and body seal materials.

Quality System

The Swagelok Company quality system complies with the requirements of ISO 9001:2015. The Swagelok Company maintains BSI Certificate of Registration Number FM 01729, which applies to all locations listed on the Certificate.

Special Ordering Instructions

None

References

The following product catalog does not represent the full scope of registration, but rather details some of the most common options.

Check Valves MS-01-176, R11

Attachment A. Swagelok Manufacturing Locations

This document lists the Swagelok locations where end item or component level manufacturing activities take place.

Swagelok Company	Swagelok Company (Falon 1)
29500 Solon Road	348 Bishop Road
Solon, Ohio 44139	Highland Heights, Ohio 44143
USA	USA
Swagelok Company (Highland)	Swagelok Company (Falon 2)
318 Bishop Road	358 Bishop Road
Highland Heights, Ohio 44143	Highland Heights, Ohio 44143
USA	USA
Swagelok Company (OFC)	Swagelok Company (HPF)
29495 F.A. Lennon Drive	6050 Cochran Road
Solon, Ohio 44139	Solon, Ohio 44139
USA	USA
Swagelok Company (Atlantic)	Swagelok Company (Snow Metal)
26651 Curtiss Wright Parkway	6060 Cochran Road
Willoughby Hills, Ohio 44092	Solon, Ohio 44139
USA	USA
Swagelok Company (Micro) 26653 Curtiss Wright Parkway Willoughby Hills, Ohio 44092 USA	Swagelok Company (Alfred) 29500 Ambina Drive Solon, Ohio 44139
Swagelok Hose Services Company (SHSC)	Swagelok Company (Strongsville)
29900 Solon Industrial Parkway	15400 Foltz Road
Solon, Ohio 44139	Strongsville, Ohio 44119
Swagelok (China) Fluid System Technologies Ltd.	Swagelok Company A.G. (European Technology
Changshu Export Process Zone	Center)
Changshu Economic Development Zone	St. GallerstraBe 84
Changshu, Jiangshu	Lachen, Switzerland 8853
215513 China	Switzerland
Swagelok Limited Tromode IM4 4RA Isle of Man	THIS IS PART OF

Technical Standards & Safety Authority Confere & Pressure Vesseln