UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUI	NSWIC	κ
MINAMIN		

NOVA SCOTIA YUKON

PRINCE EDWARD ISLAND NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Swagelok Company								
Tangeor Company								
FLANT LOCATIONS: Headquarters: 29500 Solon Road, Solon, Ohio 44139 USA (See Attachment A)								
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY INTEGETHER STANDARD OF CONSTRUCTION								
A Pipe fittings, including couplings, tees, albaws, Ys, plugs, unions, pipe caps, or raducers B. Flanges: all flanges C. Valves: all fine valves D. Expansion foints, flaxible connections, and hose assemblies; all types E. Strainers, filters, separators, and steem traps F. Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G. Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs	ASME 931.3 Chapter IX, for unlisted components where applicable							
H. Pressure rateining components that do not fall into one of the above categories								
N Nuclear components: Class 1 □ Class 2 □ Class 3 □, (Masiling AECB or ASME requirements)	<u> </u>							
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGIC AS IT WILL APPEAR ON THE PRODUCT	TYPE OF CONSTRUCTION FORGED C WELDED C WROUGHT () GAST C OTHER C DESCRIBE OTHER							
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE RE	NOTEGOR.							
ISO 9001:2008 Quality System Certificate, Sales Drawings and other Support Documents, Atta Items to be registered: 1/2 Inch SAE/MS to 1/2 Inch and 3/4 inch tube adapter fittings, 1/2 Inch tube fittings	th SAE/MS to 1/2 Inch and 3/4							
DECLARATION: David H. Peace [see nexts] employed by Swagelok Company and being the person having full authority and responsibility for the quality of the end product do selamnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by BSI as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.								
Signature of Declarer: Declared before me at 50,000, 0000								
This Oth day of June AD AD AD Jamis L Ristau O F F I Commissioner of Oaths Commissioner	ST STATISTICS							
This spece for Requiletory Authority use								
This registration must be revalidated after ten (10) years from the data CRN: 0A18544.5 FID#: 1214 Notes: 1. All fillings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product: 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.	8544.58 escribed							

Attachment B. Scope of Registration for Swagelok Tube Fittings to SAE MS Ends (Category A)

Product Scope

This document represents the scope of Swagelok 1/2" and 3/4" Tube Fittings with 1/2" Medium Pressure SAE/MS ends, covered by this submission for CRN approval. The Medium Pressure Fittings have been evaluated in accordance with ASME B31.3 for unlisted components and ASME B31.1 for unlisted components.


Summary Tables

Product Description	Material	Port Connections and Sizes	Maximum Allowable Working Pressure		Design Code
or Series			Ambient temperature	At maximum temperature	Construction
Tube fitting*	316 Stainless Steel (ASTM A479)	Tube Fitting, Tube Adapter 1/2"	6,700 PSI	5,092 PSI @ 1000°F	ASME B31.3 (Unlisted Components)
Tube Illing		Tube Fitting, Tube Adapter 3/4"	5,800 PSI	4,408 PSI @ 1000°F	ASME B31.1 (Listed Components)

^{*} Note: 1/2" SAE MS port connection rated at 9,137 psi at ambient temperature according to SAE J1926-2, Rev. MAR2010. The tube fitting port connections are thus considered the limiting factor.

Product Description

Swagelok SAE / MS Medium Pressure Fittings coupled with the tube fittings identified above are furnished as straight shaped fittings. Swagelok Tube Fittings consist of at least one Swagelok End – a proprietary two-ferrule mechanical-grip design.



Quality System

The Swagelok Company quality system complies with the requirements of BS EN ISO 9001:2008. Swagelok Company maintains BSI Certificate of Registration Number FM 01729, which applies to all locations listed on the Certificate.

References

The product catalogs do not represent the full scope of registration, but rather details some of the most common options.

- Medium and High Pressure Valves, Fittings and Tubing Catalog MS-02-472
- Gaugeable Tube Fittings and Adapter Fittings MS-01-140
- Tubing Data Sheet MS-01-107