## UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW	BRU	INS	MIC	×
NIIN	MI			

NOVA SCOTIA

PRINCE EDWARD ISLAND

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: S MANUFACTURERS ADDRESS			
MANUFACTURERS ADDRESS	Swagelok Company		The second secon
	Charles and the Control of the Contr	d, Solon, Ohio 44139 USA	
PLANT LOCATIONS: Headou	uarters: 29500 Solor	n Road, Solon, Ohio 44139 USA (See	Attachment (1)
CATEGORY OF FITT	INGS TO BE REGISTER	ED. CIRCLE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTIO
Pipe fittings, including coupling     Flanges: ell filanges     Valves: all line valves     Expansion joints, flaxible cons     Strainers, filters, separations,     Measuring devices, including pressure transmitters     Certified capacity-rated pressure transmitters     Pressure retaining component     Pressure retaining component	ngs, tees, elbows, Ys, plu mections, and hose asser and steam imps pressure gauges, level gi sure relief devices accept king and fusible plugs the that do not fall into one	rgs, unions, pipe caps, or reducers  mblies: ell types  suges, sight glasses, levels, or  able as primery over pressure protection on  s of the above categories	ASME B31.1 for unlisted components, ASME B31.3 for unlisted components
N Nuclear components: Class 1	Class 2 Class 3	(Meeting AECB or ASME requirements)	
Swa	de/ok	OGO AS IT WILL APPEAR ON THE PRODU	FORGED O WELDED O WROUGHT X CAST O OTHER O DESCRIBE OTHER
LIST OF SUPPORTING DOCUM	MENTATION AND IDENT	IFICATION OF THE ACTUAL ITEMS TO BE	250,000
DECLARATION:	Della Company		
lool Feldman, Vice President, Enginesponsibility for the quality of the quality of the things of the properties of the properties of these fittings is an interest of these fittings is in part and has been verified eclaration conscientiously bel	the end product do sol product for which regis ification markings are in regulated by a Quality of by 1831	lemnly declare that the information contain stration is sought. The dimensions, mater in accordance with the herein named stan by Control Program which extends to each	ials of construction, pressure idards. I further declare that the plant where fabrication occurs in whole
lool Feldman, Vice President, Enginesponsibility for the quality of the quality of the knowledge represents the properature ratings, and identificant for these fittings is in part and has been verified eclaration conscientiously belignature of Declarer:	the end product do sol product for which regis ification markings are in regulated by a Quality of by 1831	lemnly declare that the information contai stration is sought. The dimensions, mater in accordance with the herein named star y Control Program which extends to each as being suitable for d knowing that it is of the same force and	ned in this form is true and to the best ials of construction, pressure iddards. I further declare that the plant where fabrication occurs in whole that purpose and I make this solemn effect as if made under oath.
specified and vice President Enginesponsibility for the quality of the quality of the knowledge represents the persperature ratings, and identification of these fittings is rin part and has been verified eclaration conscientiously belignature of Declarer:    Continue   Conti	the end product do sol product for which regis ification markings are in regulated by a Quality d by 1851 llaving If to be true, and	lemnly declare that the information contail stration is sought. The dimensions, mater in accordance with the herein named star by Control Program which extends to each as being suitable for d knowing that it is of the same force and	ned in this form is true and to the best fals of construction, pressure idards. I further declare that the plant where fabrication occurs in whole
lool Feldman, Vice President, Enginesponsibility for the quality of the quality of the knowledge represents the pumperature ratings, and identification of these fittings is in part and has been verified eclaration conscientiously belignature of Declarer: eclared before me at this letter day of the commissioner of Oaths Notary Public: (sign)	the end product do sol product for which regis ification markings are in regulated by a Quality d by 1851 llaving If to be true, and	lemnly declare that the information containtration is sought. The dimensions, mater in accordance with the herein named star by Control Program which extends to each as being suitable for d knowing that it is of the same force and	ned in this form is true and to the best ials of construction, pressure iderds. I further declare that the plant where fabrication occurs in whole that purpose and I make this solemn effect as if made under oath.
oel Feldman, Vice President, Enginesponsibility for the quality of the quality of the knowledge represents the properties of these fittings and identition and anotacture of these fittings is in part and has been verified ecleration conscientiously belignature of Declarer: eclared before me at the best day of the properties of Cethan Notary Public: (sign)	the end product do sol product for which regis in fication markings are in regulated by a Quality d by 1851 lleving it to be true, and the child of	lemnly declare that the information containtration is sought. The dimensions, mater in accordance with the herein named star y Control Program which extends to each as being suitable for d knowing that it is of the same force and  USETHI  OFF  and  or F  ght)  s space for Regulatory Authority use	ned in this form is true and to the best rials of construction, pressure didards. I further declare that the plant where fabrication occurs in whole that purpose and I make this solemn effect as if made under oath.  S S P A C E F O R T H E I C I A L S E A L
oel Feldman, Vice President, Enginesponsibility for the quality of the quality of the knowledge represents the proper that the properties of these fittings is in part and has been verified adjustment of Declarer: actared before me at the properties of the part and has been verified and the properties of Declarer: actared before me at the properties of Declarer of	the end product do sol product for which regis in fication markings are in regulated by a Quality d by 1851 lleving it to be true, and the child of	lemnly declare that the information contains tration is sought. The dimensions, mater in accordance with the herein named star by Control Program which extends to each as being suitable for d knowing that it is of the same force and USETHI	ned in this form is true and to the best itals of construction, pressure identified in the plant where fabrication occurs in whole that purpose and I make this solemn effect as if made under oath.  S SPACE FOR THE
oel Feldman, Vice President, Enginesponsibility for the quality of the quality of the knowledge represents the properties of these fittings and identity anufacture of these fittings is in part and has been verified ecleration conscientiously belignature of Declarer: eclared before me at the best day of the commissioner of Oaths Notary Public: (sign)	the end product do sol product for which regis in fication markings are in regulated by a Quality d by 1851 lleving it to be true, and the child of	lemnly declare that the information containtration is sought. The dimensions, mater in accordance with the herein named star y Control Program which extends to each as being suitable for d knowing that it is of the same force and  USETHI  OFF  and  or F  ght)  s space for Regulatory Authority use	ned in this form is true and to the best itals of construction, pressure ideards. I further declare that the plant where fabrication occurs in whole that purpose and I make this solemn effect as if made under oath.  S SPACE FOR THE ICIAL SEAL
poel Feldman, Vice President, Enginesponsibility for the quality of the quality of the knowledge represents the proper the properties of these fittings is in part and has been verified ecleration conscientiously believed the president of Declarer:  Bright of De	the end product do sol product for which regis in fication markings are in regulated by a Quality d by 1851 lleving it to be true, and the child of	lemnly declare that the information containtration is sought. The dimensions, mater in accordance with the herein named star y Control Program which extends to each as being suitable for d knowing that it is of the same force and  USETHI  OFF  and  or F  ght)  s space for Regulatory Authority use	indicate the second of the second of the second of construction, pressure indicates. I further declare that the plant where fabrication occurs in whole that purpose and I make this solemn effect as if made under oath.  S SPACE FOR THE ICIAL SEAL  SOLUTION OF THE ICIAL SEAL
loel Feldman, Vice President, Enginesponsibility for the quality of the quality of the knowledge represents the purperature ratings, and identification of these fittings is in part and has been verified eclaration conscientiously belignature of Declarer: eclared before me at his	the end product do sol product for which regis in fication markings are in regulated by a Quality of by 1851 lleving it to be true, and Affix Official seal to the right of the marks of the Manufacted with two Statutory De adocumentation.	lemnly declare that the information containstration is sought. The dimensions, mater in accordance with the herein named star y Control Program which extends to each as being suitable for d knowing that it is of the same force and USETHIOOFF	ned in this form is true and to the best in als of construction, pressure in all of construction. I further declare that the plant where fabrication occurs in whole that purpose and I make this solemn effect as if made under oath.  S SPACE FOR THE ICIAL SEAL

Date Signed Territorial Registration Fee



Canadian Registration Number Submittal Category A: Swagelok Brass Pipe Fittings

#### THIS IS PART OF CRN 0A22505.5

Technical Standards and Safety Authority

Boilers and Pressure Vessels Safety

Program

Date: March 13, 2020

Page 1 of 2

# Attachment B. Scope of Registration for Swagelok Brass Pipe Fittings (Category A)

This document represents the scope of Swagelok Brass Pipe Fittings covered by this submission for CRN approval. These Swagelok Pipe Fittings have been evaluated in accordance with ASME B31.1-2018 for unlisted components and ASME B31.3-2018 for unlisted components.

#### **Summary Table**

Product Description or Material		Port Connections and	Maximum Allowable Working Pressure		Design Code	
Series	Material	Sizes	Up to 100°F	At maximum temperature	Construction	
		Male NPT & Male ISO-7 (tapered) (RT) 1/16 – 2 inch	5500 - 1900 psig	718 - 248 psig @400°F	ASME B31.3	
	Brass C36000	Female NPT & Female ISO-7 (tapered) (RT) 1/16 – 2 inch	3300 - 1900 psig	431 - 248 psig @400°F	(Unlisted Components)	
(includes pipe plugs and pipe caps)	· I Bar	Male NPT & Male ISO-7 (tapered) (RT) 1/16 – 2 inch	5500 - 1900 psig	4950 - 1710 psig @200°F	ASME B31.1	
	Female NPT & Female ISO-7 (tapered) (RT) 1/16 – 2 inch	3300 - 1900 psig	2970 - 1710 psig @200°F	(Unlisted Components)		
Pipe Shaped Fittings  (See the Configurations section for size limitation on crosses.)  Brass C37700 (ASTM B283) Forging	Male NPT & Male ISO-7 (tapered) (RT) 1/8 – 1 inch	2700 - 2100 psig	352 - 274 psig @400°F	ASME B31.3		
	(ASTM B283)	Female NPT & Female ISO-7 (tapered) (RT) 1/8 – 1 inch	2700 - 2100 psig	352 - 274 psig @400°F	(Unlisted Components)	
		Male NPT & Male ISO-7 (tapered) (RT) Male 1/8 – 1 inch	2700 - 2100 psig	2430 - 1890 psig @200°F	ASME B31.1	
		Female NPT & Female ISO-7 (tapered) (RT) 1/8 – 1 inch	2700 - 2100 psig	2430 - 1890 psig @200°F	(Unlisted Components)	



Canadian Registration Number Submittal Category A: Swagelok Brass Pipe Fittings

### THIS IS PART OF CRN

0A22505.5

Technical Standards and Safety Authority

Boilers and Pressure Vessels Safety

Program

Date: March 13, 2020 Page 2 of 2

#### **Product Description**

Swagelok Pipe Fittings are furnished in a variety of configurations and shapes (straight, elbow, tee or cross).



#### **Configurations**

1. Nipples, Adapters, Couplings, Reducers

Male & Female NPT, Male & Female RT (ISO Taper), adapters and reducing to other sizes



#### 2. Elbows / Street Elbows / Tees / Street Tees / Crosses

Male and Female NPT, Male & Female RT (ISO Taper), adapters and reducing to other sizes. Elbows and Tees are limited to a maximum size of one-inch in brass. Crosses are limited to a maximum size of three-quarter-inch in brass.



Caps and Plugs Male NPT, RT (ISO Taper)





#### **Product Options:**

The sealant options for tapered pipe threads (NPT and ISO-7), such as curable resin with PTFE and PTFE tape, affect pressure and/or temperature ratings shown in the above Summary Table, but the ratings with these options are less than or equal to those shown in the table.

Additional options that do not affect pressure and/or temperature ratings may be made available within the scope of this approval. Examples of these would include the following:

- 1. Special marking
- 2. Special cleaning
- 3. Wire drills
- 4. Snubbers and orifice plates

All of the options noted above are within the scope of this approval.

#### **Quality System**

The Swagelok Company quality system complies with the requirements of ISO 9001:2015. The Swagelok Company maintains BSI Certificate of Registration Number FM 01729, which applies to all locations listed on the Certificate.

#### References

The product catalog does not represent the full scope of the registration but rather details some of the most common options.

Pipe Fittings Catalog MS-01-147, Rev. P

#### THIS IS PART OF CRN 0A22505.5

Technical Standards and Safety Authority

#### Boilers and Pressure Vessels Safety Program

## Attachment A. Swagelok Manufacturing Locations

This document lists the Swagelok locations where end item or component level manufacturing activities take place.

Swagelok Company	Swagelok Company (Falon 1)
29500 Solon Road	348 Bishop Road
Solon, Ohio 44139	Highland Heights, Ohio 44143
USA	USA
Swagelok Company (Highland)	Swagelok Company (Falon 2)
318 Bishop Road	358 Bishop Road
Highland Heights, Ohio 44143	Highland Heights, Ohio 44143
USA	USA
Swagelok Company (OFC)	Swagelok Company (HPF)
29495 F.A. Lennon Drive	6050 Cochran Road
Solon, Ohio 44139	Solon, Ohio 44139
USA	USA
Swagelok Company (Atlantic)	Swagelok Company (Snow Metal)
26651 Curtiss Wright Parkway	6060 Cochran Road
Willoughby Hills, Ohio 44092	Solon, Ohio 44139
USA	USA
Swagelok Company (Micro) 26653 Curtiss Wright Parkway Willoughby Hills, Ohio 44092 USA	Swagelok Company (Alfred) 29500 Ambina Drive Solon, Ohio 44139
Swagelok Hose Services Company (SHSC)	Swagelok Company (Strongsville)
29900 Solon Industrial Parkway	15400 Foltz Road
Solon, Ohio 44139	Strongsville, Ohio 44119
Swagelok (China) Fluid System Technologies Ltd. Changshu Export Process Zone Changshu Economic Development Zone Changshu, Jiangshu 215513 China	Swagelok Limited Ballafletcher Road Tromode IM4 4RA Isle of Man