UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

IEW BRUNSWICK		RINCE EDWARD ISLAND ORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR		
MANUFACTURERS NAME:	Swagelok Company				
MANUFACTURERS ADDRESS					
LANT LOCATIONS: Header		Solon, Ohio 44139 USA (See Al	tachment A)		
	INGS TO BE REGISTERED. CIRC		TITLE OF THE SYMPLAND OF CONSTRUCTION		
Flanges; all flanges Valves: all fire valves Cyalves: all fire valves Expansion joints, flexible con: Strainers, filters, separators, a Messuring devices, including pressure transmitters Certified capacity-rated press boliers, pressure vessets, pip	pressure gauges, level gauges, sig ura relief devices acceptable as pri	itypas ht glasses, levela, or imary over pressure protection on	ASME B31.1 for unlisted components, ASME B31.3 for unlisted components		
	1 🗆 Class 2 🗅 Class 3 🗅, (Meet				
Swa	gelok	IT WILL APPEAR ON THE PRODUCT	FORCED D WELDED D WROUGHT X CAST D OTHER D DESCRIBE OTHER		
IST OF SUPPORTING DOCU	MENTATION AND IDENTIFICATIO	N OF THE ACTUAL ITEMS TO BE R	EGISTERED:		
sponsibility for the quality of y knowledge represents the mperature ratings, and iden anufacture of these fittings i r in part and has been verifie	product for which registration is diffication markings are in accord a regulated by a Quality Control of by BSI	eciare that the information contain a sought. The dimensions, material dance with the herein named stand I Program which extends to each p as being suitable for t	iards. I further declare that the plant where fabrication occurs in whole that purpose and I make this solemn		
eclaration conscientiously be ignature of Declarer:	elleving it to be true, and knowing	ng that it is of the same force and o	effect as if made under oath.		
eclared before me at .50	Non Thin	USETHI			
his 18th day of M	Nach w Sus		S SPACE FOR THE		
commissioner of Oaths r Notary Public: (sign)	and tames				
This		for Regulatory Authority use d after ten (10) years from the date	of acceptance.		
CRN: 0A22505.5		ACCE	ACCEPTED		
FID#: 1214	1	PROVINCE OF PRINC	PROVINCE OF PRINCE EDWARD ISLAND COMMUNITIES, LAND & ENVIRONMENT		
Brass pipe fittings.			22505.59		
 Each category shall be supplement and one copy of supporting. The declaration shall be made. 	de by the person having full authorit	DATE:	13/20		
responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years. CRN expires June 17, 2030 - DG			INSPECTION SERVICES SECTION BOILER/PRESSURE VESSEL BRANCH		



Canadian Registration Number Submittal Category A: Swagelok Brass Pipe Fittings

THIS IS PART OF CRN 0A22505.5

Technical Standards and Safety Authority

Boilers and Pressure Vessels Safety

Program

Date: March 13, 2020

Page 1 of 2

Attachment B. Scope of Registration for Swagelok Brass Pipe Fittings (Category A)

This document represents the scope of Swagelok Brass Pipe Fittings covered by this submission for CRN approval. These Swagelok Pipe Fittings have been evaluated in accordance with ASME B31.1-2018 for unlisted components and ASME B31.3-2018 for unlisted components.

Summary Table

Product Description or	Material	Port Connections and	Maximum Allowable Working Pressure		Design Code
Series		Sizes	Up to 100°F	At maximum temperature	Construction
Pipe Straight Fittings (includes pipe plugs and pipe caps) Brass C36000 (ASTM B16) Bar	Brass C36000	Male NPT & Male ISO-7 (tapered) (RT) 1/16 – 2 inch	5500 - 1900 psig	718 - 248 psig @400°F	ASME B31.3 (Unlisted Components)
		Female NPT & Female ISO-7 (tapered) (RT) 1/16 – 2 inch	3300 - 1900 psig	431 - 248 psig @400°F	
	Male NPT & Male ISO-7 (tapered) (RT) 1/16 – 2 inch	5500 - 1900 psig	4950 - 1710 psig @200°F	ASME B31.1	
		Female NPT & Female ISO-7 (tapered) (RT) 1/16 – 2 inch	3300 - 1900 psig	2970 - 1710 psig @200°F	(Unlisted Components)
	Pipe Shaped Fittings (See the Configurations section for size limitation on crosses.) Brass C37700 (ASTM B283) Forging	Male NPT & Male ISO-7 (tapered) (RT) 1/8 – 1 inch	2700 - 2100 psig	352 - 274 psig @400°F	ASME B31.3 (Unlisted Components)
Fittings (See the Configurations section for size limitation on		Female NPT & Female ISO-7 (tapered) (RT) 1/8 – 1 inch	2700 - 2100 psig	352 - 274 psig @400°F	
		Male NPT & Male ISO-7 (tapered) (RT) Male 1/8 – 1 inch	2700 - 2100 psig	2430 - 1890 psig @200°F	ASME B31.1 (Unlisted Components)
		Female NPT & Female ISO-7 (tapered) (RT) 1/8 – 1 inch	2700 - 2100 psig	2430 - 1890 psig @200°F	



Canadian Registration Number Submittal Category A: Swagelok Brass Pipe Fittings

THIS IS PART OF CRN

0A22505.5

Technical Standards and Safety Authority

Boilers and Pressure Vessels Safety

Program

Date: March 13, 2020 Page 2 of 2

Product Description

Swagelok Pipe Fittings are furnished in a variety of configurations and shapes (straight, elbow, tee or cross).



Configurations

1. Nipples, Adapters, Couplings, Reducers

Male & Female NPT, Male & Female RT (ISO Taper), adapters and reducing to other sizes



2. Elbows / Street Elbows / Tees / Street Tees / Crosses

Male and Female NPT, Male & Female RT (ISO Taper), adapters and reducing to other sizes. Elbows and Tees are limited to a maximum size of one-inch in brass. Crosses are limited to a maximum size of three-quarter-inch in brass.



Caps and Plugs Male NPT, RT (ISO Taper)





Product Options:

The sealant options for tapered pipe threads (NPT and ISO-7), such as curable resin with PTFE and PTFE tape, affect pressure and/or temperature ratings shown in the above Summary Table, but the ratings with these options are less than or equal to those shown in the table.

Additional options that do not affect pressure and/or temperature ratings may be made available within the scope of this approval. Examples of these would include the following:

- 1. Special marking
- 2. Special cleaning
- 3. Wire drills
- 4. Snubbers and orifice plates

All of the options noted above are within the scope of this approval.

Quality System

The Swagelok Company quality system complies with the requirements of ISO 9001:2015. The Swagelok Company maintains BSI Certificate of Registration Number FM 01729, which applies to all locations listed on the Certificate.

References

The product catalog does not represent the full scope of the registration but rather details some of the most common options.

Pipe Fittings Catalog MS-01-147, Rev. P

THIS IS PART OF CRN 0A22505.5

Technical Standards and Safety Authority

Boilers and Pressure Vessels Safety Program

Attachment A. Swagelok Manufacturing Locations

This document lists the Swagelok locations where end item or component level manufacturing activities take place.

Swagelok Company	Swagelok Company (Falon 1)	
29500 Solon Road	348 Bishop Road	
Solon, Ohio 44139	Highland Heights, Ohio 44143	
USA	USA	
Swagelok Company (Highland)	Swagelok Company (Falon 2)	
318 Bishop Road	358 Bishop Road	
Highland Heights, Ohio 44143	Highland Heights, Ohio 44143	
USA	USA	
Swagelok Company (OFC)	Swagelok Company (HPF)	
29495 F.A. Lennon Drive	6050 Cochran Road	
Solon, Ohio 44139	Solon, Ohio 44139	
USA	USA	
Swagelok Company (Atlantic)	Swagelok Company (Snow Metal)	
26651 Curtiss Wright Parkway	6060 Cochran Road	
Willoughby Hills, Ohio 44092	Solon, Ohio 44139	
USA	USA	
Swagelok Company (Micro) 26653 Curtiss Wright Parkway Willoughby Hills, Ohio 44092 USA	Swagelok Company (Alfred) 29500 Ambina Drive Solon, Ohio 44139	
Swagelok Hose Services Company (SHSC)	Swagelok Company (Strongsville)	
29900 Solon Industrial Parkway	15400 Foltz Road	
Solon, Ohio 44139	Strongsville, Ohio 44119	
Swagelok (China) Fluid System Technologies Ltd. Changshu Export Process Zone Changshu Economic Development Zone Changshu, Jiangshu 215513 China	Swagelok Limited Ballafletcher Road Tromode IM4 4RA Isle of Man	