<u>U</u>	NIFORM STATUTORY DECLARA	ATION FORM FOR THE REGISTRATION OF	· FII TING DESIGNS
NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOF
MANUFACTURERS NA	ME: Swagelok Company		
MANUFACTURERS AD	DRESS: 29500 Solon Road, Solo	n, Ohio 44139-3492	
PLANT LOCATIONS: H	eadquarters: 29500 Solon Road, 8	Solon, Ohio 44139-3492 (See Attachment A)	
		D. CIRCLE ONE CATEGORY ONLY DWS, Y's, plugs, unions, pipe caps, or	TITLE OF THE STANDARD OF CONSTRUCTION
reducers	ASME B31.1 and ASME		
B Flanges: all flanges			B31.3 for unlisted
©Valves: all line valves	components where		
D Expansion joints, flexit E Strainers, filters, separ	applicable		
		ges, sight glasses, levels, or pressure	
transmitters		•	
G Certified capacity-rated	f pressure relief devices acceptable	e as primary over pressure protection on	
H Pressure retaining com	els, piping and fusible plugs ponents that do not fall into one o	f the above categories	
Tri ressure retaining con	ponents that do not fair into one o	The above categories	
		Meeting AECB or ASME requirements)	
SHOW MANUFACTURER	'S NAME, TRADEMARK, OR LOC	O AS IT WILL APPEAR ON THE PRODUCT	TYPE OF CONSTRUCTION
	C \		FORGED   WELDED   WROUGHT   CAST   OTHER
	Swagel		DESCRIBE OTHER:
	Chago		
LIST OF SUPPORTING DO	CUMENTATION AND IDENTIFICA	TION OF THE ACTUAL ITEMS TO BE REGIST	ERED:
ECLARATION:		100	7
esponsibility for the quality knowledge represents temperature ratings, and ideanufacture of these fitting in part and has been verification conscientiously gnature of Declarer:    Colored   Color	y of the end product do solemned product for which registration lentification markings are in accosts is regulated by a Quality Controffed by The British Standards Instituted British Standards Instituted by The British Standards Instituted British Standards Instituted British Stand	any and being the person having full authorally declare that the information contained is sought. The dimensions, materials of coordance with the herein named standards. It is of Program which extends to each plant what it is of the same force and effect as ing that it is of the same force and effect as OFF I	in this form is true and to the best of construction, pressure further declare that the nere fabrication occurs in whole and I make this solemn.
ommissioner of Oaths	o n. Ren 1	LANA C. SUTPHIN, Notary	Public
Notary Public: (sign)	(affix Official seal to the right)	State of Ohio Portage County  My Commission Expires Jan. 23, 20	THE PARTY OF THE P
	(anix Onicial seat to the right)	WA COULINGS OF STATES	
	This space	ce for Regulatory Authority use ated after 1990 Years 100 Till and 65 co	DIMARD ELAND
0010777		DEPT: OF PROVINC	IALAFFAIRS
RN: OC12577.5 A	JD7	DEL! OF LIGHT	

Notes:

FID#:

 All fittings shall be registered in the name of the Manufacturer.
 Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.

3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.

4. Quality control programs shall be resubmitted for validation

at a maximum interval of five (5) years.

CRN: <u>OC12577.5 ADD7</u>

# Attachment D: Scope of CRN Registration for Swagelok 6PN Gauge Valves (Category C)

This document represents the scope of the 6PN Series Gauge Valves covered by this submission for CRN approval. The Swagelok 6PN Series Gauge Valves were designed and evaluated in accordance with ASME B31.1 for unlisted components and ASME B31.3 for unlisted components.

# **Summary Table**

Product	Main Pressure Bearing Component	Main Pressure Bearing Material (Standard)	Port Connections and Sizes	Maximum Rated Pressure		Design Code of
Description or Series				At ambient temperature	At maximum temperature	Construction
6PN	Body	Stainless Steel (ASTM A479)	Female NPT 1/2", 3/4" Male NPT 1/2", 3/4"	6000 psi @ 100 <sup>0</sup> F	1715 psi @ 1200 <sup>0</sup> F	ASME B31.1 (Unlisted Components) and ASME B31.3 (Unlisted Components)

# **Product Illustration**



Lagging Extension Body

# **Typical Product Characteristics**

Some product options could affect the pressure-temperature ratings shown in the Summary Table, but in all cases the ratings are less than those shown in the Summary Table. Examples of these would include poppet springs and seat O-ring materials.

## **Stem Packing Options**

Polyfluoroethylene (PTFE) - standard Polyetheretherkeytone (PEEK) Ultra-high Molecular Weight Polyethylene (UHMWPE) Graphoil

## **Seat Material**

Acetal - standard Perfluoroalkoxy Fluorocarbon (PFA) Polyetheretherkeytone (PEEK)

#### **Quality System**

The Swagelok Company quality system complies with the requirements of BS EN ISO 9001:2008. The Swagelok Company maintains British Standards Institution Certificate of Registration Number FM 01729, which applies to all locations listed on the Certificate. The 6PN Series Gauge Valves are manufactured at a Swagelok Company location in Solon, Ohio.

#### References

The product catalog does not represent the full scope of registration, but rather details some of the most common options.

6PN Series Gauge Valve Catalog MS-01-052, R6